










Hahnemühle FineArt GmbH Hahnestr. 5 D-37586 Dassel

Phone: +49 5561 791 500 · Fax: +49 5561 791 351 www.hahnemuehle.com
















Artist Papers & Technical Papers





1584	Hahnemühle
(1584)	riamicmame

We hereby certify that the

Hahnemühle FineArt GmbH Archival Papers and Boards

are produced in compliance with DIN 6738, ISO 9706, ISO 16245, ANSI Z 39.48-1992 as well as the Standard-PAT and Color-PAT.

Furthermore the Hahnemühle papers and boards meet the following quality criteria and more:

acid free with a pH value between 7.5 and 9.5 due to a neutral paste application, buffered against air pollutants with a calcium carbonate (CaCO₃) content of at least 4%, free of wood fibres,

made from bleached (tcf/ecf) pulp and/or linters, extremely lightfast,


complies with the highest class of durability and lasts for hundreds of years, coloured papers and boards do not bleed due to use of premium colour-pigments.

Hahnemühle FineArt GmbH - certified in compliance with ISO 9001

Director Quality Management / R&D

Catalogue 2022





Painters, graphic artists and designers, illustrators, printers, photographers, advertising experts, archivists, bookbinders, art students, scientists, engineers and lab assistants - they all

delights Hahnemühle fans worldwide.

use papers and cardboards by Hahnemühle. For each The result of our tradition of them, paper is a natural working appliance that has and quality conscious work to meet high standards for different reasons. With Hahnemühle papers, our customers emphasize the features when it comes to art and fine art printing, as well as safe and reliable results in the technical area.





Paper manufacturing at Hahnemühle

ur papers are extremely versatile and they have to be as their properties have to meet a large number of requirements. Here, you will find noteworthy information on manufacturing techniques, quality characteristics, quality management and testing procedures. More information can also be found on our homepage www.hahnemuehle.com.

Papers with watermark and genuine deckle edges are produced on the mould-made paper machine.

Production on the cylinder mould paper machine

Traditional paper production on a cylinder mould paper machine starts in the vat housing a mould, that is a stainless steel box in which a cylinder mould is placed. Hahnemühle FineArt uses moulds of different structures to make velin or ribbed paper, with or without watermark.

A highly diluted mixture of pulp and water is fed into the vat with combined uniflow and contraflow forming a fibrous web on the cylinder mould.

The sheet is transferred to the wet end of the machine with a suction roll located at the highest point of the cylinder mould.

Not only does the cylinder mould produce genuine watermarks, the paper sheet can also be divided into smaller sheets. For this purpose, special bands and metal dividers are attached to the surface of the cylinder mould with copper wire to mark the size of individual sheets. Thus the mould-made paper produced on a machine can have four ragged, or deckled, edges characteristic of hand-made paper. Some paper fibres gather on the attached deckle frames. As the speed of the machine can be controlled, after the press section, the still wet paper can be torn along the marked, weaker lines. Only a sheet edge thus obtained can be treated as a deckle edge characteristic of mould-made paper. The cylinder mould paper machine is not only used to make paper sheets, but also to produce paper rolls.

Natural felts form the unique surface texture of the papers.

The double wet press section consists of a pair of [1mm] hydraulically loaded rolls connected with a parallel drive and a common top and bottom felt. To improve water extraction, the paper web is then gently heated with an infra-red dryer and introduced to the dryer section which consists of a series

of steam-heated cylinders. Thanks to special felt material used in the first dryer group, paper does not come into direct contact with the cylinder surface and thus maintains good surface uniformity on both sides.

Production on the fourdrinier machine

Production of paper on a continuous-wire Fourdrinier machine starts with the discharge of a highly diluted mixture of pulp and water onto the machine. The papermaking stock is evenly distributed on the flat, plastic wire which continuously rotates around a series of supporting rolls and guiding rails. In addition to their support function, these rolls and guiding rails are also used to drain the water from the mixture of pulp and water.

Two-thirds of the way along the the wire section, the slurry is so drained of water and compact that the fibres will no longer shift. Further water extraction is only possible with flat suction boxes which build up a vacuum. A so-called dandy roll is applied and lightly pressed down to make the paper

surface more equal. It is also used, for example, to apply the ribbed structure typical of Hahnemühle FineArt paper.

The wire section is directly followed by the press section, which is the last element of the wet part of the paper machine. Two hydraulically loaded pairs of rolls and an optionally utilized third press are used to press out the remaining water from the endless paper web. The continuously rotating felt is used to transfer the web and remove water. Felts, some of which are still made of wool and others of a mixture of wool and synthetic fibres, have an exceptional capability to make different, characteristic marks.



The moisture remaining in the paper web is removed by contact drying with steamheated metal drying cylinders.

The dandy roll gives

the paper a ribbed

To enhance this process the felt is pressed against the cylinder surface and hot air is blown in through air nozzles. The paper web is dried carefully at a temperature gradually increasing from about 70° C at the first cylinder to about 120° C at the end of the dryer section. In order to quickly expand the paper, the temperature is abruptly lowered at the cooling cylinders located immediately after the dryer section. The web can optionally be passed through a calender stock. A re-moisturizer, in combination with a continuously operating measuring system, permits the paper moisture to be monitored and improved before it is rolled.

\/

Contents

Watercolour Book 100% Cotton, 250 gsm New	Page 2-3
Natural Line	Page 4-9
Agave Watercolour 290 gsm, 70% agave fibre, 30% cotton rag	6
Hemp Sketch 80 gsm, 60% hemp fibre, 40% cotton rag	7
Bamboo-Mixed Media 265 gsm, 90% bamboo fibre, 10% cotton rag	8
Bamboo Sketch 105 gsm, 90% bamboo fibre, 10% cotton rag	9
The Collection	Page 10-15
Watercolour 300 gsm, 100% pure cotton rag, surface sized, mould-made	12
Watercolour 640 gsm, 100% pure cotton rag, surface sized, mould-made	13
Ingres Pastel 100, 150 gsm, mould-made	14
Sketch 140 gsm, 100% pure cotton rag	15
Watercolour Papers	Page 16-47
Watercolour Selection (Aquarell Selection)	18
Turner 300 gsm, 100% cotton rag	19
Hahnemühle 200 gsm	20
Hahnemühle 300 gsm	23
Harmony Watercolour 300 gsm, surface sized	24
Expression Watercolour 300 gsm, surface sized, 100% cotton rag	25
Allegretto 150 gsm	28
D'Aqua 220 gsm	29
Burgund 250 gsm	31
Watercolour Postcard Pad 250 gsm	31
Torchon 275 gsm	32
Veneto 325 gsm, front rough, back cold pressed	33
Britannia 300 gsm	35
Cornwall 450 gsm	36
Andalucía 500 gsm, front rough, back cold pressed	38
Toned Watercolour Paper 200 gsm	40
Toned Watercolour Book 200 gsm	41
Watercolour Book 200 gsm, your travel companion	42
The ZigZag Book	43
Carnet de Voyage & Carnet Aquarelle 400 gsm	44
Watercolour Postcards in Metal Box 230 gsm	45
Sumi-e 80 gsm, for the Asian painting technique	46
Anniversary Edition-Aquarell 425 gsm	47
Universal Pad Mixed Media 310 gsm	47

Sketch Papers and Sketch Books	Page 48-75
Creativ 100 gsm	50
Tradition 100 gsm	51
Dessin 150 gsm	52
Quattro – square size sketch pad 170 gsm	53
Nostalgie 190 gsm	54
Postcard Pad Sketch 190 gsm	54
Hand Lettering 170 gsm	55
Sketch Pad "blue" 120 and 190 gsm	56, 57
Pen Pad 250 gsm	58
Velvet 185 gsm	59
Stella Drawing Papers 200 and 250 gsm	59, 105
The Cappuccino Pad 120 gsm NEW	63
The Grey Pad 120 gsm NEW	63
The Cappuccino Book 120 gsm	64
The Grey Book 120 gsm	65
Nostalgie Sketch Book 190 gsm	66
Black Book 250 gsm	67
Sketch Books Deko 140 gsm	68
Sketch Booklet 140 gsm	69
Sketch & Note 125 gsm, note book	70
Sketch Books 120 gsm	71
Kraft Paper Sketch Book 120 gsm	72
Kraft Paper Sketch Booklet 120 gsm	72
Travel Journals & Travel Booklets 140 gsm	73
Sketch Books D&S 140 gsm	74
Pastel Papers	Page 76-81
Sketch / Pastel 130 gsm	78
Velour 260 gsm	79
LanaColours 160 gsm	80-81
Oil and Acrylic Painting Paper	Page 82-89
Oil and Acrylic Painting Paper 230 gsm	84, 85
Acrylic Painting Paper 330, 360 and 450 gsm	86-88
Palette Pad 60 gsm	89
College° 350 gsm	89

VI VII

Mounting Boards, Printmaking Papers and Graphic Design Printmaking Papers 150, 230, 250, 300 and 350 gsm	Page 90-99 92
Hahnemühle 1584 300 gsm	94
Mounting Boards 280, 300, 380 and 400 gsm	96
Bristol Pad and Boards 250, 310, 625 and 920 gsm	97
Manga 80 gsm	98
Layout Pad 75 gsm	99
Technical Papers	Page 100-107
Transparent Drawing Papers in rolls 24/25, 40/45, 90/95 and 110/115 gsm	102
Transparent Drawing Papers 90/95 and 110/115 gsm	103
Tracing Paper Pad 60/65, 80/85, 90/95 and 110/115 gsm	104
Stella Drawing Papers 200 and 250 gsm	59, 105
Graph Paper (Millimetre Paper) 80/85 gsm	106
Static Pad 60 gsm	107
Stationery FineArt	Page 108-117
1584 by Hahnemühle	111
DiaryFlex 100 gsm, the individual notebook	112
Sketch Diary 120 gsm, sketch- and notebook	113
FineNotes Writing Instruments & Notebooks	114-117
Digital FineArt Papers	118-121
Displays, Samples and Cupboards	122-127
Merchandising Products	128-131
Persons to contact	132
Terms of Delivery and Sale	136-137
Index	130-135





Herewith we declare that all papers and canvases of Hahnemühle FineArt GmbH do not contain raw materials from animal sources.

The used pulp fibres come from sustainable sources and have been chemically mechanically processed.

The fibre content in the paper is more than 10% of the total weight.

Furthermore all papers, canvases and leather albums of Hahnemühle FineArt GmbH do not exceed the limits of the following substances (Guideline 2015/863/EU ROHS):

- Lead (0.1 %)
- Hexavalent Chromium (0.1%)
- Mercury (0.1 %)
- Cadmium (0.01%)
- PBB (Polybrominated Biphenyls) (0.1 %)
- PBDE (Polybrominated Diphenyl Ethers) (0.1%)
- DEHP (Di (2-Ethylhexyl) Phthalate) (0,1%)
- BBP (Butyl Benzyl Phthalate) (0,1%)
- DBP (Dibutyl Phthalate) (0,1%)
- DIBP (Diisobutyl Phthalate) (0,1%)

The use of PCBs (polychlorinated biphenyls) is prohibited.

Quality Management

Dassel, 02.12.2019

i.V. B. Zec

QS/Bo·Hahnemühle FineArt GmbH, Hahnestraße 5, D-37586 Dassel·Rev.11



WATERCOLOUR BOOK 100% COTTON

Hahnemühle Watercolour Book aus 100 % Baumwolle - meisterhafte Handwerkskunst trifft auf feinste Baumwollfasen

The Hahnemühle Watercolour Book made of 100% cotton fibres is a must-have for all watercolour artists. The pure cotton fibres give the paper a natural white tone, an incomparable texture and high resistance. Colours flow superbly on the natural white paper, while brushes slide gently over the surface and inspire the artist. Premium hardback book containing 30 sheet of 250 gsm paper with a homogeneous, fine-grained surface structure on the front and back, so artists have 60 pages available for creative design. Suitable for all watercolour techniques, especially the wet-on-wet technique. Masking pens and masking tapes can be removed without leaving any residue. Even the use of an eraser is possible thanks to surface sizing. The pitch-black, sturdy cover with a black bookmark gives the book the elegance and stability that it needs as an indispensable companion. A rubber band closes the book tightly.

Watercolour Books 100% Cotton are available in landscape and portrait format in A6, A5, A4, 14 x 14 cm and 19.5 x 19.5 cm. Like all Hahnemühle papers, they are age-resistant, acid-free and vegan.



Watercolour Book 100% Cotton (250 gsm, cold pressed, surface sized, 30 sheets/60 pages)

Ref. No.	Size
10 625 350	A6 portrait size
10 625 351	A6 landscape size
10 625 352	A5 portrait size
10 625 353	A5 landscape size
10 625 354	A4 portrait size
10 625 355	A4 landscape size
10 625 356	14 x 14 cm
10 625 357	19,5 x 19,5 cm
10 625 353 10 625 354 10 625 355 10 625 356	A5 landscape size A4 portrait size A4 landscape size 14 x 14 cm

Sustainability

Clean water, natural fibres, first-rate expertise in the art of paper production and absolute commitment to quality have formed the foundation of our success for over 435 years. In our business, we feel we have a certain duty towards the environment. For many years, we have been supporting both regional and international environmental projects as part of our 'Green Rooster' initiative, including reforestation, animal protection and environmental education programmes. These projects are very important to us and we're delighted to be able to use a share of the profits from our Natural Line to contribute towards environmental and climate protection.

Sustainability also plays a key role at our production site. Hahnemühle is located at the edge of a nature reserve. As such, environmentally friendly paper production is a high priority. Using precious resources such as water, fibres and energy sparingly and responsibly is a matter of course for us.



The water we use to produce our high-quality FineArt papers comes straight from the source and is set apart by its particularly high level of purity, meaning it does not need to be chemically treated at all. Even at the end of the production cycle, the wastewater has been not contaminated with pollutants and is returned to the river as high-quality water.

Protect what Matters

Our fibres are sourced exclusively from primary fibres. One key factor here is the lignin-free cellulose we use, sourced from deciduous and coniferous trees that grow in sustainably managed forests and are FSC- or PEFC-certified. The types of linters also play an essential role. Linters are fine fibres framing the seed of the cotton plant, which occur as a by-product of the textile and oil industries. We also have our sights set on finding fast-growing, renewable cellulose alternatives that help to conserve resources.



FSC- / PEFC-certified fibres



Linters fibres a by-product of the textile & oil industry



Recycling of production waste & use of recycled packaging materials



100% renewable energies

We use electricity and natural gas as our energy sources. For many years now, all the electricity we need has been generated exclusively from renewable sources, such as wind, water and solar energy. This enables us to sustainably reduce our CO2 emissions. We heat our site using natural gas. Due to our waste heat recovery system, the emissions from our furnace are considerably below the legal limits, by more than 40%.

Another key element of sustainable resource management is recycling. Any production waste or scrap materials are returned to the production cycle and, if that isn't possible, they are handed over to other waste processors. We always give priority to recycled material as long as it can be used in our products without reducing their quality, for instance, in thimbles and cardboard packaging.

We are proud of what we have achieved so far and are constantly working towards putting further measures in place and finding more environmentally friendly and sustainable ways to run our business. Our proximity to the natural world provides a daily reminder of what we need to protect. For us, this is both a responsibility and an incentive.



Protect what Matters

Matural Line

Agave Watercolour

290 gsm · 70 % Agave fibre, 30 % cotton rag · cold pressed

Agave Watercolour is a natural white watercolour paper. It is characterised by its cold pressed and very homogeneous surface texture. It is suitable for all kinds of watercolour techniques, especially for glazing. The special surface of the 290 gsm paper allows brushes to slide over the surface easily and allows for brilliant colour gradients. Washouts and corrections are simple possibilities. Agave Watercolour is acid-free, non-aging and vegan. By using sisal, a fast-growing and resource-saving raw material, Agave Watercolour is the ideal painting surface for environmentally conscious artists. All Agave Watercolour blocks are glued on 4 sides. Individual sheets can be easily removed with Hahnemühle's bamboo folder.



Blocks (Content 12 sheets)

Ref. No.	Size in cm
10 625 400	8 x 10,5
10 625 401	24 x 32
10 625 402	30 x 40
10 625 403	36 x 48
10 625 410	Α4
10 625 411	A3

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
10 627 180	50 x 65







Hemp Sketch

80 gsm · 60 % Hemp fibre, 40% cotton rag

Hemp Sketch is a natural white sketch paper with a fine grain, guaranteeing an excellent colour abrasion. Due to the use of hemp fibre, the 80 gsm Hemp Sketch paper impresses with an excellent paper resistance.

It is suitable for all dry techniques such as graphite, red chalk, coloured pencil and charcoal, and is characterised by an excellent erasability. Hemp Sketch is a first-class drawing paper that is unique due to its remarkable properties and its sustainability. By using fast-growing hemp fibre, slow-growing resources are conserved. All Hemp Sketch sketch pads contain 80 sheets and are glued at the top. The paper is acid-free, age-resistant and vegan.



Pads (Content 80 sheets)

Ref. No.	Size
10 625 450	A5
10 625 451	A4
10 625 452	А3







Matural Line

Bamboo Mixed Media

Proven quality in a new design

265 gsm · 90 % Bamboo fibre, 10 % cotton rag · cold pressed

Hahnemühle Bamboo 265 gsm is the first paper quality in the Hahnemühle Traditional FineArt Collection made of bamboo fibres. The natural white paper which is extremely age resistant has a unique surface suitable for different painting & drawing techniques such as watercolour, acrylic, pastel and for sketching and drawing with charcoal and red ochre. This warm toned, high-quality paper allows excellent contrast and colour vibrancy. It offers a brilliant flow of colours and ensures high luminosity. Due to the use of highly renewable bamboo grass, Hahnemühle Bamboo 265 gsm stands for natural and resource-saving paper production.



Pads (Content 25 sheets)

Ref. No.	Size in cm
10 603 074 *	8 x 10.5
10 628 549 **	15.3 x 25
10 628 54 <mark>0</mark>	2 <mark>4</mark> x 32
10 628 541	3 <mark>0</mark> x 40
10 628 542	36 x 48
10 628 <mark>5</mark> 43	42 x 56

- * Content 10 sheets, pack unit 10 pads
- ** Content 15 sheets, spiral bound

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
11 627 166	50 x 65
	• • • • • • • • • • • • • • • • • • • •

11011	
Ref. No.	Size in m
10 629 110	1.25 x 10

Sheets (Packing unit 100 sheets)

Ref. No.	Size in cm
10 140 815	<u>50</u> x 65
10 140 810	70 x <u>100</u>









Bamboo Sketch

Proven quality in a new design

105 gsm · 90 % Bamboo fibre, 10 % cotton rag

Hahnemühle Bamboo 105 gsm is the first sketch paper in the Hahnemühle Traditional FineArt Collection made of Bamboo fibres. The natural white paper is extremely age resistant and has a unique and rough surface suitable for sketch and drawing techniques.

This warm toned, high-quality paper allows for excellent contrasts and colour adherence. Due to the use of highly renewable bamboo grass, Hahnemühle Bamboo 105 gsm stands for natural and resource-saving paper production.

Pads (Content 30 sheets)

Ref. No.	1	Size
10 628 5	60	A5
10 628 5	561	A4
10 628 5	62	А3

Sheets (Packing unit 100 sheets)

Ref. No.	Size in cm
10 140 801	70 x <u>100</u>



105 gsm · 90 % Bamboo fibre, 10 % cotton rag

The green Bamboo Sketch books are real eye-catchers: on the outside the cover shows bamboo canes, on the inside the paper is made out of 90% bamboo fibres and 10% rag. By using fast growing bamboo, resources are being preserved. The natural white sketch paper is great for sketching and drawing with pencil, charcoal and red chalk. Its unique tooth ensures great colours and contrasts. The Bamboo Sketch books are available in both A4 and A5 portrait format containing 128 pages.

Books (Content 64 sheets / 128 pages)

Ref. No.	Size	
10 628 565	A5	
10 628 566	Α4	
•••••		











The Collection

he name Hahnemühle stands for paper of excellent quality. For more than 435 years, the company has been producing finest papers in Germany at the foot of the Solling.

Watercolour Ingres Pastel Sketch

Selected raw materials, pure spring water and first-class processing characterises Hahnemühle papers. The know-how that is passed on from generation to generation is reflected in the products and makes them unique.

The collection with the special character that is unique to traditionally manufactured papers includes premium products for each classic painting technique, which are precisely tailored to the requirements of the techniques. Valuable cotton papers and exquisite mould-made papers produced on the traditional cylinder mould machine complete the program. All Hahnemühle artist papers are acid-free and resistant to aging.

The new product range















Watercolour

Watercolour

Hahnemühle The Collection Watercolour 300 and 640 set new standards for high-quality watercolour papers. A carefully chosen variety of cotton offers extremely strong fibres and incomparable purity. The selection of the best raw materials and exclusively natural

filler materials gives the Watercolour 300 and Watercolour 640 papers their unparalleled quality.

The prized cotton papers, The Collection Watercolour 300 and 640, are characterised by a very durable paper surface that is well suited for demanding watercolour techniques. The fibres do not lift, rub off or loosen, even when applying multiple layers of varnish or colour, or when using masking pens and tape. This paper lets you use the most

beautiful colours and create remarkable wet-on-wet paintings.

Watercolour 300 gsm

Blocks (Content 10 sheets)		
Ref. No.	Surface	Size in cm
10 625 130	cold pressed	24 x 32
10 625 131	cold pressed	30 x 40
10 625 132	cold pressed	36 x 48
10 625 140	rough	24 x 32
10 625 141	rough	30 x 40
10 625 142	rough	36 x 48
10 625 150	hot pressed	24 x 32
10 625 151	hot pressed	30 x 40
10 625 152	hot pressed	36 x 48

Watercolour 300 gsm

Sheets (Packing unit 10 or 5 sheets)			
Ref. No.	Surface	pack. unit	Size in cm
10 627 150	cold pressed	10 sheets	56 x 76
10 627 151	cold pressed	5 sheets	106 x 78
10 627 152	rough	10 sheets	56 x 76
10 627 153	rough	5 sheets	106 x 78
10 627 154	hot pressed	10 sheets	56 x 76
10 627 155	hot pressed	5 sheets	106 x 78

Watercolour 300 asm

Rolls		
Ref. No.	Surface	Size in m
10 629 160	cold pressed	1,25 x 10
10 629 161	rough	1,25 x 10







cold pressed / rough / hot pressed







Produced using a traditional cylinder mould paper machine, the papers have a homogeneous surface that gives the artist optimal control of their pigments. The Collection Watercolour 300 and 640 are available in cold pressed, rough and satin. Artists who have high expectations of themselves and their materials will love Hahnemühle The Collection Watercolour 300 and Watercolour 640. The exquisite watercolour papers are available in 300 gsm and 640 gsm in either sheets or blocks. All Hahnemühle papers are vegan, age-resistant and acid-free.

Watercolour 640 gsm

Blocks (Content 10 shee	ets)	
Re. No.	Surface	Size in cm
10 625 230	cold pressed	24 x 32
10 625 231	cold pressed	30 x 40
10 625 232	cold pressed	36 x 48
10 625 240	rough	24 x 32
10 625 241	rough	30 x 40
10 625 242	rough	36 x 48
10 625 250	hot pressed	24 x 32
10 625 251	hot pressed	30 x 40
10 625 252	hot pressed	36 x 48
•••••	······································	······································

Watercolour 640 gsm

Sheets (packing unit 5 sheets)			
Ref.	No.	Surface	Size in cm
10 6	327 170	cold pressed	56 x 76
10 6	627 171	rough	56 x 76
10 6	627 172	hot pressed	56 x 76
• • • • • • • • • • • • • • • • • • • •		••••••	•





cold pressed / rough / hot pressed







Ingres Pastel Sketch

Ingres Pastel 100 gsm

Hahnemühle The Collection Ingres Pastel offers pastel artists the perfect surface. Designed for this specific artistic technique, the Ingres Pastel Paper has fine ridges and a slightly rough surface. It allows even colour adherence without using a lot of pressure, producing precise and colour-intensive results. Thanks to the exclusive use of high-quality pigmented colours in the production of this paper, Ingres Pastel 100 boasts exceptional lightfastness. It is ideal for pastels, pencils and red chalk. Hahnemühle Ingres Pastel 100 gsm is available as a pad with pages in white or nine other different shades. The paper content of each pad has two cut edges and two deckle-edges. The deckle-edges are created naturally during the production process. This process can result in minimal format deviations, which underlines the character of a natural product and makes each sheet unique. The sheets are available in white, bright white, ivory, antique, corn yellow, grey brown, brown, rose pink, dark blue, middle grey, mouse grey and black. Hahnemühle Ingres Pastel 100 is vegan, acid-free and age-resistant.





Sheets (100 gsm, Packi	ng unit 25 sheets)	
Ref. No.	Size in cm	Colour
10 627 250	62,5 x 48	bright white
10 627 251	62,5 x 48	white
10 627 252	62,5 x 48	ivory
10 627 253	62,5 x 48	antique
10 627 254	62,5 x 48	yellowish
10 627 255	62,5 x 48	rose pink
10 627 256	62,5 x 48	brown
10 627 257	62,5 x 48	grey
10 627 258	62,5 x 48	dark blue
10 627 259	62,5 x 48	middle grey
10 627 260	62,5 x 48	grey brown
10 627 261	62,5 x 48	black



9 colours

Longres of the boundary of the

white

Ingres Pastel 100 gsm

Pads (Pad content 20 sheets)		
Ref. No.	Size in cm	Colour
10 625 120	24 x 31	9 Colours
10 625 121	24 x 31	white
10 625 122	30 x 40	9 Colours
10 625 123	30 x 40	white
10 625 124	42 x 56	9 Colours
10 625 125	42 x 56	white

Ingres Pastel 150 gsm

Sheets (150 gsm, Packing unit 25 sheets)			
Ref. No.	Size in cm	Colour	
10 627 262	104 x 78	white	



Sketch 140 asm

The Collection Sketch 140 is the only 100% cotton sketch paper in the Hahnemühle Collection. The elegant paper has an exceptionally grainy texture, which can only be achieved through the use of natural felts in the production process. The grainy surface of the natural white paper allows for exceptional colour adherence. Smooth transitions and delicate hatching create depth and 3D effects. At 140 gsm, the exquisite paper is robust yet pleasingly flexible. Hahnemühle Sketch 140 is vegan, acid-free, age-resistant, and is specially designed to meet the requirements of dry techniques.







Sketch 140 gsm

Pads (Pad content 30 sheets)		
Ref. No.	Size	
10 625 160	A5	
10 625 161	A4	
10 625 162	A3	
10 625 163	A2	



14 mould-made

Watercolour Papers



he mould-made water-colour papers made by Hahnemühle are real vat papers, produced on a cylinder mould machine, which give them the characteristic deckle edges. The use of various types of natural felts give these papers a unique surface structure. From hot pressed surface textures for botanical and floral studies to cold pressed papers for strong portraits to rough surface structured papers for abstract landscape paintings.


The papers allow for optimum colour reproduction, have a resistant surface and withstand repeated erasures. These features make them suitable not only for watercolours, but also for other wet-painting techniques, such as gouache, tempera and acrylic, as well as for drawing with charcoal, pencil and crayons.



Watercolour Selection

Watercolour Selection - New qualities, more papers and a new design! Various watercolour papers in one pad

A variety of wonderful watercolour papers, but which one is the right one for me? With a cold pressed, rough or maybe a hot pressed surface texture? How does watercolour paper made from 100% cotton rag behave? Rather a bright white or natural white watercolour quality? If you ask yourself these questions, the Watercolour Selection pad is exactly the right thing for you. The Watercolour Selection pad contains a large selection of high-quality Hahnemühle watercolour papers with a variety of surfaces and grammages. From exquisite 100% cotton papers to watercolour qualities consisting of resource saving natural fibers and papers made from high-quality -cellulose. All Hahnemühle watercolour papers are acid-free, age-resistant and vegan. A perfect pad for beginners and experimental artists. Also ideal as a gift.



The Watercolour Selection pads are available in the formats 17x24 cm and 24x32 cm and contain 14 different watercolour qualities:

The Collection Watercolour 300 gsm, 100% cotton rag, cold pressed (mould-made) | The Collection Watercolour 640 gsm, 100% cotton rag, rough (mould-made) | Agave Watercolour 290 gsm, cold pressed | Turner 300 gsm, 100% cotton rag, cold pressed (mouldmade) | Hahnemühle 300 gsm, cold pressed (mould-made) | Harmony 300 gsm, cold pressed | Harmony 300 gsm, rough | Harmony 300 gsm, hot pressed | Expression 300 gsm, 100% cotton rag, cold pressed | Britannia 300 gsm, cold pressed | Britannia 300 gsm, rough | Britannia 300 gsm, hot pressed | Torchon 275 gsm | Cornwall 450 gsm, cold pressed



This high-quality, 100% cotton rag, mould-made watercolour paper is natural white, acid free, lightfast, extremely age resistant and material sized. The soft irregular paper texture allows for a wonderful colour absorption with slight granulation in the glaze. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 48x33 and 50x65 cm) contain the watermark and have 4 genuine deckled edges. The soft, slightly irregular surface structure is ideal for professional artists. "Turner" is suitable for all wet painting techniques: watercolour, gouache, tempera and acrylic.

Blocks (Content 10 sheets)

Ref. No.	Surface	Size in cm
10 628 135	cold pressed	24 x 32
10 628 136	cold pressed	30 x 40
10 628 137	cold pressed	36 x 48

Sheets (4 deckled edges, Packing unit 10 Sheets)

Ref. No.	Surface	Size in cm
10 627 060	cold pressed	approx. 50 x 65
10 102 275 *	cold pressed	approx. 33 x <u>48</u>
10 102 277 *	cold pressed	approx. <u>50</u> x 65
10 102 278 *	cold pressed	approx. 78 x 106

^{* 50} sheets







Mould-made

Watercolour Paper Hahnemühle 200 gsm





200 gsm \cdot cold pressed and rough surface \cdot natural white

S	heets	(4	deckled	dedges	, Packing	unit 10	sheets

Ref. No.	Surface	Size in cm
10 627 011	cold pressed	approx. 50 x 65
10 627 005	cold pressed	approx. 106 x 78
10 627 013	rough	approx. 50 x 65
10 627 006	rough	approx. 106 x 78
10 102 251 *	cold pressed	approx. <u>50</u> x 65
10 102 253 *	cold pressed	approx. 78 x <u>106</u>
10 102 256 *	rough	approx. 50 x 65
10 102 256 * 10 102 258 *	rough rough	approx. 50 x 65 approx. 78 x <u>106</u>

^{* 100} sheets



This classic mould-made watercolour paper is natural white, acid free, lightfast, extremely resistant to ageing and material sized. This paper is suitable for all watercolour techniques, especially wet-on-wet painting, for creating effects with crisp and hard-edged colours, smooth washes and also for glazing. The paper is also suitable for gouache and tempera. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 50x65 and 106x78 cm) contain the watermark and have 4 deckled edges.

200 gsm \cdot cold pressed and rough surface \cdot natural white

Blocks (Content 20 sheets)

DIOCKS (C	Lontent 20 Sneets)	
Ref. No.	Surface	Size in cm
10 628 019	cold pressed	12 x 17
10 628 021	cold pressed	17 x 24
10 628 024	cold pressed	24 x 32
10 628 027	cold pressed	30 x 40
10 628 030	cold pressed	36 x 48
10 628 006	rough	8 x 10.5
10 628 020	rough	12 x 17
10 628 022	rough	17 x 24
10 628 025	rough	24 x 32
10 628 028	rough	30 x 40
10 628 031	rough	36 x 48





Mould-made Watercolour Paper

Hahnemühle 300 gsm



300 gsm · cold pressed and rough surface · natural white

22

Hahnemühle 300 is a natural white watercolour paper and is produced on a traditional cylinder mould paper machine. The paper is natural white, acid free, lightfast, extremely resistant to ageing and material sized. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 50x65 and 106x78 cm) contain the watermark. This paper is suitable for all watercolour techniques, especially wet-on-wet painting, for creating effects with crisp and hard-edged colours, smooth washes and dry brush technique. This paper is also ideal for painting techniques such as gouache, tempera and acrylic.





300 gsm · cold pressed · rough · hot pressed · surface sized

Harmony Watercolour - A natural white paper for all wet painting techniques. Harmony Watercolour features surface sizing. Colours stand out excellently on the paper and impress with their natural brilliance, thus giving every subject its very own unique presence. Masking fluids or masking tape can be used and removed residue-free. While wet colours can be easily corrected or taken off. Harmony Watercolour is acid free, light-resistant and features extreme longevity. It is available in Cold Pressed, Rough and Hot Pressed, and all are eraser resistant due to the surface sizing.









Sheets (Packing Unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 510	cold pressed	50 x 65
10 627 511	cold pressed	70 x 100
10 627 810	rough	50 x 65
10 627 811	rough	70 x 100
10 627 910	hot pressed	50 x 65
10 627 911	hot pressed	70 x 100
10 627 512*	cold pressed	39.4 x 54.6
10 627 513**	cold pressed	78.7 x 54.6
10 627 514***	cold pressed	78.7 x 109.2
10 627 812*	rough	39.4 x 54.6
10 627 813**	rough	78.7 x 54.6
10 627 814***	rough	78.7 x 109.2
10 627 912*	hot pressed	39.4 x 54.6
10 627 913**	hot pressed	78.7 x 54.6
10 627 914***	hot pressed	78.7 x 109.2

Pads (Content 12 sheets)

Ref. No.	Surface	Size
10 628 040	cold pressed	A4
10 628 041	cold pressed	А3
10 628 840	rough	A4
10 628 841	rough	А3
10 628 760	hot pressed	Α4
10 628 761	hot pressed	A3
10 628 042	cold pressed (spiral bound)	Α4
10 628 043	cold pressed (spiral bound)	А3
10 628 842	rough (spiral bound)	Α4
10 628 843	rough (spiral bound)	А3
10 628 762	hot pressed (spiral bound)	Α4
10 628 763	hot pressed (spiral bound)	A3

Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 044	cold pressed	24 x 30
10 628 045	cold pressed	30 x 40
10 628 046	cold pressed	40 x 50
10 628 844	rough	24 x 30
10 628 845	rough	30 x 40
10 628 846	rough	40 x 50
10 628 764	hot pressed	24 x 30
10 628 765	hot pressed	30 x 40
10 628 766	hot pressed	40 x 50
	····	· · · · · · · · · · · · · · · · · · ·

Rolls

••••••

Blocks (Content 12 sheets)

Ref. No.	Surface	Size
10 628 070	cold pressed	7" x 10"
10 628 071	cold pressed	9" x 12"
10 628 072	cold pressed	10" x 14"
10 628 073	cold pressed	12" x 16"
10 628 086	rough	7" x 10"
10 628 087	rough	9" x 12"
10 628 088	rough	10" x 14"
10 628 089	rough	12" x 16"
10 628 092	hot pressed	7" x 10"
10 628 093	hot pressed	9" x 12"
10 628 094	hot pressed	10" x 14"
10 628 099	hot pressed	12" x 16"

Expression Watercolour

300 gsm · cold pressed · surface sized

Expression Watercolour - the natural white 100% cotton, surface sized paper is suitable for all wet painting techniques and etching. Expression Watercolour features surface sizing. Colours stand out excellently on the paper and impress with their natural brilliance, thus giving every subject its very own unique presence. Masking fluids or masking tape can be used and removed residue-free, while wet colours can be easily corrected or taken off. Expression Watercolour is acid free, light-resistant and features extreme longevity. The surface is eraser resistant due to the surface sizing.



Pads (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 628 666	cold pressed	24 x 30
10 628 667	cold pressed	30 x 40
10 628 668	cold pressed	40 x 50



Sheets (Packing Unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 666	cold pressed	50 x 65
10 627 667	cold pressed	70 x 100

^{*} Packing Unit 20 sheets ** Packing Unit 100 sheets

^{***} Packing Unit 50 sheets

Watercolour papers





Allegretto 150 gsm

150 gsm · rough surface · bright white

This watercolour paper is bright white, acid free, lightfast and extremely resistant to ageing. Fine paper with a slightly rough structure for dry painting techniques. Also suitable for pen and ink drawing which can be enhanced with water or tempera colours. Allegretto is available in pads -glued on both long sides -as well as in sheets and roll for large paintings.

Pads (Content 10 sheets)

Ref. No.	Surface	Size	1
10 628 009	rough	A4	
10 628 011	rough	А3	

Sheets (Packing unit 25 sheets)

Ref. No.	Surface	Size in cm
10 627 003	rough, bright white	50 x 65
10 140 998 *	rough, bright white	43 x <u>61</u>
10 140 999 *	rough, natural white	43 x <u>61</u>
10 140 992 *	rough, bright white	<u>50</u> x 65
10 140 993 *	rough, natural white	<u>50</u> x 65
10 140 995 *	rough, bright white	70 x <u>100</u>
10 140 997 *	rough, natural white	70 x <u>100</u>

^{* 100} sheets

Roll

Ref. No.	Size in m
10 629 100	1.25 x 20






D'Aqua is a natural white watercolour paper with a rough surface texture. Excellent for watercolour paintings, as well as for sketching and drawing. The pads are glued on both long sides. Acid free, lightfast and extremely

Tuus (content so sheets)		
Ref. No.	Surface	Size in cm
10 628 340	rough	17 x 24
10 628 341	rough	24 x 32
10 628 342	rough	30 x 40
10 628 343	rough	36 x 48
•••••	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••





Watercolour Paper

Burgund cold pressed & rough 250 gsm



250 gsm \cdot cold pressed and rough \cdot natural white

Hahnemühle Burgund is a classic natural white watercolour paper. Wet paint is easily rectified, right down to the white paper, i.e. at this stage paints may still be removed from the board. Ideal for all watercolour techniques – particularly for wet-in-wet painting – and also for gouache and tempera. The blocks are glued on all 4 sides. Acid free, lightfast and extremely age resistant.

Blocks (Content 20 sheets)

Ref. No.	Surface	Size (in cm)	
10 628 080	cold pressed	17 x 24	
10 628 081	cold pressed	24 x 32	
10 628 082	cold pressed	30 x 40	
10 628 083	cold pressed	36 x 48	
10 628 090	rough	A6	(Post card pad)
10 628 091	rough	10.5 x 21	(Post card pad)
10 628 002	rough	17 x 24	
10 628 003	rough	24 x 32	
10 628 004	rough	30 x 40	
10 628 005	rough	36 x 48	

Sheets (Packing unit 10 sheets)

- 11 - 12 (i denning dine to sheets)		
Ref. No.	Surface	Size in cm
11 627 048	cold pressed	50 x 65
11 627 049	cold pressed	100 x 70
11 627 009	rough	50 x 65
11 627 001	rough	100 v 70



Watercolour Paper

Torchon



275 gsm · fine cloudy surface · bright white

The French word "torchon" characterizes a very coarse linen structure. So is the surface of this paper. The blocks are glued and gauzed on all 4 sides to ensure flatness when wet. "Torchon" is ideal for all wet painting techniques: watercolour – especially for effects with hard-edged colours and smooth washes – and also gouache, tempera and acrylic. Acid free, lightfast and extremely resistant to ageing.

Blocks (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 628 110	rough	12 x 17
10 628 111	rough	17 x 24
10 628 112	rough	24 x 32
10 628 113	rough	30 x 40
10 628 114	rough	36 x 48

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 090	rough	50 x 65
11 627 091	rough	100 x 70



Watercolour Paper

Veneto

rough & cold pressed

325 gsm · front rough · reverse cold pressed · natural white

The Akademie Watercolour paper "Veneto" 325 gsm is natural white, acid free and age resistant. The front side of the paper has the structure and charm, as well as the flow behaviour, of high-quality mould-made papers. The reverse side has a cold pressed structure which also offers interesting painting effects. Ideal for all wet painting techniques: watercolour, gouache, tempera and acrylic. The blocks are glued on all 4 sides.

Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 504	front rough · reverse cold pressed	24 x 32
10 628 505	front rough · reverse cold pressed	30 x 40

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 162	front rough · reverse cold pressed	50 x 65
10 140 920 *	front rough \cdot reverse cold pressed	<u>50</u> x 65
10 140 921 *	front rough · reverse cold pressed	70 x <u>100</u>

* 100 she



300 gsm · cold pressed, rough and hot pressed · natural white

The classic in cold pressed, rough and hot pressed. Particularly well suited for watercolour (wet-in-wet, smooth wash and dry painting) as well as gouache, tempera and acrylic. When wet, the natural white tough surface provides outstanding flatness. Colours can be applied easily, it's acid-free, light-resistant and features extraordinary longevity. The blocks are glued on all 4 sides.



Blocks (Content 12 sheets)

•	•	
Ref. No.	Surface	Size in cm
10 628 983	cold pressed	17 x 24
10 628 980	cold pressed	24 x 32
10 628 981	cold pressed	30 x 40
10 628 982	cold pressed	36 x 48
10 628 984	cold pressed	42 x 56
10 628 993	cold pressed	20 x 50
10 628 330 (30 sheets)	cold pressed	25.4 x 25.4
10 628 331 (30 sheets)	cold pressed	30 x 30
10 628 332 (30 sheets)	cold pressed	40 x 40
10 628 970	rough	17 x 24
10 628 971	rough	24 x 32
10 628 972	rough	30 x 40
10 628 973	rough	36 x 48
10 628 974	rough	42 x 56
10 628 640	hot pressed	17 x 24
10 628 641	hot pressed	24 x 32
10 628 642	hot pressed	30 x 40
10 628 643	hot pressed	36 x 48
10 628 644	hot pressed	42 x 56
10 628 645	hot pressed	20 x 50
•	· · · · • · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

Rolls

Ref. No.	Surface	Size in m
10 629 109	cold pressed	1.25 x 10
10 629 102	rough	1.25 x 10
10 629 112	hot pressed	1.25 x 10

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 082	cold pressed	50 x 65
11 627 083	cold pressed	100 x 70
11 627 080	rough	50 x 65
11 627 081	rough	100 x 70
10 627 640	hot pressed	50 x 65
10 627 641	hot pressed	100 x 70
10 140 968 *	cold pressed	<u>50</u> x 65
10 140 967 *	cold pressed	70 x <u>100</u>
10 140 969 *	rough	<u>50</u> x 65
10 140 963 *	rough	70 x <u>100</u>
10 140 952 *	hot pressed	<u>50</u> x 65
10 140 958 *	hot pressed	70 x <u>100</u>

* 100 sheets





Watercolour Paper

Cornwall

450 gsm · cold pressed and rough · bright white

Bright white, acid free, lightfast and extremely age resistant.

The heavy weight provides a very stable paper that ensures improved flatness when wet. "Cornwall" offers good colour flow and high colour intensity. This quality is ideal for wet painting techniques: watercolour especially smooth washes and dry painting – and also gouache, tempera and acrylic. The blocks are glued on all 4 sides. Acid free, lightfast and extremely resistant to ageing.



Blocks (Content 10 sheets)

10 628 414 cold pressed 17 x 24 10 628 410 cold pressed 24 x 32 10 628 411 cold pressed 30 x 40 10 628 412 cold pressed 36 x 48 10 628 420 cold pressed 42 x 56 10 628 413 cold pressed 20 x 50 10 628 419 rough 17 x 24
10 628 411 cold pressed 30 x 40 10 628 412 cold pressed 36 x 48 10 628 420 cold pressed 42 x 56 10 628 413 cold pressed 20 x 50
10 628 412 cold pressed 36 x 48 10 628 420 cold pressed 42 x 56 10 628 413 cold pressed 20 x 50
10 628 420 cold pressed 42 x 56 10 628 413 cold pressed 20 x 50
10 628 413 cold pressed 20 x 50
10 628 419 rough 17 x 24
10 628 415 rough 24 x 32
10 628 416 rough 30 x 40
10 628 417 rough 36 x 48
10 628 421 rough 42 x 56





Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 140	cold pressed	50 x 65
10 627 142	cold pressed	100 x 70
10 627 145	rough	50 x 65
10 627 146	rough	100 x 70



Watercolour Paper

Andalucia

500 gsm · front rough · reverse cold pressed · natural white

The Akademie Watercolour paper "Andalucía" 500 gsm is natural white, acid free and age resistant. The front side of the paper has the structure and charm, as well as the flow behaviour, of high-quality mould-made papers. The reverse side has a cold pressed structure which also offers interesting painting effects. Ideal for all wet painting techniques: watercolour, gouache, tempera and acrylic. The blocks are glued on all 4 sides. Acid free, lightfast and extremely resistant to ageing.

Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 524	front rough \cdot reverse cold pressed	24 x 32
10 628 525	front rough \cdot reverse cold pressed	30 x 40
10 628 526	front rough \cdot reverse cold pressed	36 x 48
10 628 527	front rough · reverse cold pressed	42 x 56


Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 164	front rough \cdot reverse cold pressed	10 627 164
10 140 925 *	front rough \cdot reverse cold pressed	10 140 925 *
10 140 926 *	front rough \cdot reverse cold pressed	10 140 926 *

50 sheets

The front side of the paper has a rough surface structure the reserve side is cold pressed







Toned Watercolour Paper



Toned Watercolour Book

Inspired by Urban Sketchers

The gently toned watercolour paper with a weight of 200 gsm has an even, fine-grained surface structure on both sides providing a natural background for your artwork. The Toned Watercolour range is available in either grey or beige watercolour paper. Suitable for all wet techniques. Acid-free and aging-resistant.

Books, GREY (200 gsm, 30 sheets / 60 pages)

Ref. No.	Size
10 625 170	A6 landscape size
10 625 171	A5 landscape size
10 625 172	14 x 14 cm square format





Books, BEIGE (200 gsm, 30 sheets / 60 pages)

Ref. No.	Size
10 625 180	A6 landscape size
10 625 181	A5 landscape size
10 625 182	14 x 14 cm square format





Watercolour Book - Your travel companion

This watercolour book is the ideal companion for artists who love to capture their holiday memories without delay. The natural white 200 gsm paper features a fine grained surface structure on both sides. Eraser-resistant due to the material and surface sizing.

With 60 pages / 30 sheets, the watercolour book is compact while offering an ample amount of pages to paint your memories on. With a durable cover and a rubber band to hold the cover together your art work is protected. Acid free and age resistant.



200 gsm · fine grain texture on the front and reverse side · natural white


Rooks (200 gem 30 sheets / 60 pages)

DUUKS (200 gsm, 30	sneets / 60 pages)
Ref. No.	Size
10 628 813	A6 portrait size
10 628 814	A5 portrait size
10 628 810	A6 landscape size
10 628 811	A5 landscape size
10 628 812	A4 landscape size





ZigZag




Rugged oversized book covers help to protect the content. Due to its durable cover, the ZigZag book is inured to outside influences. An eye catching red band in the upper right corner can be used to close the book securely. The rooster on the backside underlines the exclusivity of the Hahnemühle creative prowess.

Books (Content	, 5
Ref. No.	Size
10 625 000	A6
10 625 001	A5
10 625 002	14 x 14 cm
10 625 005	5 x 5 cm

18 pages of the finest watercolour paper folded in accordion style provide unlimited possibilities. No matter if it is the giraffe with the longest neck, the widest panorama or an Instagram-style pictorial, the ZigZag book you can do it all. Ideal for urban sketchers and all those that love to paint and draw while being on the road.

The watercolour paper features a fine-grain surface on both sides and is perfectly suited for all wet painting techniques with brush or pen. The 300gsm weight ensures stability and thanks to the surface sizing, colours flow with ease and can be lifted without any problems. The paper is eraser-resistant and masking fluid and tapes are removed residue-free.





Carnet





400 gsm · cold pressed · material sized

Pads (Content 15 sheets)

Ref. No.	Surface	Size in cm
10 628 380	cold pressed	15.3 x 25
10 628 381	cold pressed	19 x 20



With "Carnet de Voyage" and "Carnet Aquarelle", painters are equipped with the right tool for their creative passion on a painting trip. The heavy grammage of the cold pressed watercolour paper and its spiral binding are ideal for creative travel diaries.



WatercolourPostcards Irough

cold pressed

230 gsm \cdot rough and cold pressed \cdot material sized Edition 2021/2022

Box (Content 30 sheets)

Ref. No.	Surface	Size in cm
10 650 000	rough	10.5 x 14.8
10 650 150	cold pressed	10.5 x 14.8



Watercolour painters send greetings using self-designed watercolour postcards. Creative watercolour painters will find 30 natural white postcards, acid free and the highest archival quality, in this attractive metal box featuring the new editions image. With the address panel printed on the reverse, these cards have a rough and cold pressed textured surface and rounded corners which are ideal for personalised greetings or invitations.



This very absorbent paper is ideal for "freestyle" brush painting. "Sumi" means "black ink" and "e" means both "path" and "painting". The style of brush painting is both a simple and yet highly aesthetic drawing made of powerful, mostly chasing and rapidly executed lines.

The pads are glued on one long side and have interleaf sheets between the Sumi-e sheets. Acid free and age resistant.

80 gsm · cold pressed · natural white

Pads (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 628 370	cold pressed	24 x 32
10 628 371	cold pressed	30 x 40

Sheets (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 627 070	cold pressed	50 x 65

ANNIVERSARY EDITION

425 gsm \cdot cold pressed \cdot bright white

A high-quality watercolour paper with a cold pressed surface structure in 425 gsm. This paper quality is acid free, lightfast and extremely resistant to ageing and suitable for all wet painting techniques such as watercolour, gouache, tempera and acrylic.

Blocks (Content 15 sheets)

Ref. No.	Surface	Size in cm
10 650 070	cold pressed	24 x 32
10 650 071	cold pressed	30 x 40
10 650 078	cold pressed	36 x 48



Mixed Media Universal Pad

310 gsm · fine grain · natural white


This material sized paper quality is suitable for different painting techniques such as watercolour, acrylic and gouache. The paper is natural white and has a fine grain surface texture for extraordinary painting effects. The blocks are acid free and age resistant.

Blocks (Content 25 sheets)

Ref. No.	Surface	Size in cm
10 650 200	fine grain	24 x 32
10 650 201	fine grain	30 x 40
10 650 202	fine grain	36 x 48



Sketch pads







Our white and natural white sketch papers with fine grain surfaces are perfectly suited for all dry painting techniques such as pencil, crayons, charcoal, red ochre etc.

Thanks to the best ingredients and the wide range of weights from 100 gsm up to 250 gsm, this paper is an optimum base for various artistic applications.




100 gsm

A fine, soft drawing paper with high volume. The fine matt surface structure allows for an even colour application. The natural white paper helps to ensure the colours look soft and unencumbered. Suitable for all dry-painting techniques.

The pads are available glued on top or spiral bound with micro-perforation. In both cases, once removed from the pad, the sheets conform to the exact specified format size. Acid free and with high longevity.

Pads (Content 100 sheets)

Ref. No.	Binding	Size
10 628 245	glued on top	A4
10 628 246	glued on top	А3
10 628 248	spiral bound, micro-perforated	A4
10 628 249	spiral bound, micro-perforated	А3








IOO gsm

The Tradition sketchpad has a natural white paper with a very durable surface making it well suited for both light and heavy line work as well as solid patches of colour with both soft and medium hard pens. These same surface properties produce great results for burnishing and rubbing-in techniques, making it an easy and effortless process.

This spiral pad has "micro-perforated" sheets making it easy to detach your artwork from the pad and produces a clean well-trimmed edge and the detached sheet relate to the pad size of the paper. Another bonus of the spiral-bound construction is that it produces the perfect companion for you take out on location and "on the road" with you.

Pads (Content 50 sheets)

Ref. No.	Binding	Size in cm
10 628 202	spiral bound, micro-perforated	17 x 24
10 628 203	spiral bound, micro-perforated	24 x 34
10 628 204	spiral bound, micro-perforated	30 x 42










150 gsm

The 150 gsm paper looks and feels very smooth but features a fine grain guaranteeing excellent colour abrasion. With a natural white tone it makes for good contrasts and a high level of vividness. Artists using the Hahnemühle sketch paper 'Dessin' praise its absorption capacities that prevent the drop off of unfixed pigments. Available in five formats. The new waistcoat-pocket format A6 is particularly suited for artists who want to capture whilst out

This spiral pad has "micro-perforated" sheets making it easy to detach your artwork from the pad and produces a clean well-trimmed edge. The detached sheets relate to the pad size of the paper. Acid free, high longevity.

Pads (Content 25 sheets)

Ref. No.	Binding	Size
10 628 190	spiral bound, micro-perforated	A6
10 628 191	spiral bound, micro-perforated	A5
10 628 192	spiral bound, micro-perforated	A4
10 628 193	spiral bound, micro-perforated	А3
10 628 194	spiral bound, micro-perforated	A2







Quattro

170 gsm

Natural white, acid free sketching pad in a squared format.

The paper's 1.7-fold weight provides a pleasant texture and its weight corresponds to a board of 250 gsm. The semi-rough surface ensures good colour adherence. Due to the extra high bulk, it is also suitable for watercolours.

Pads (Content 50 sheets)

	,
Ref. No.	Size in cm
10 628 320	25.4 x 25.4
10 628 321	30 x 30
10 628 322	40 x 40

Mostalgie

Nostalgie-Sketch books on page 66



190 gsm

The heavy, natural white paper pad, glued on top, feels both solid and flexible. The fine grain of the paper makes the pen slide over the surface virtually on its own. Clearly defined pen control and delicate hatchings allow for every kind of work – from the architectural sketch to the fast, vividly coloured sketch. Suitable for use with all drypainting techniques in addition to wet colours, the paper brings a great sense of versatility and precision to the artistic process. Acid free, high longevity.

Pads (Content 50 sheets)

I das (content so sin	ccts/	
Ref. No.	Size	
10 628 209	A5	
10 628 210	A4	
10 628 211	А3	
10 628 212	A2	
10 628 213 *	A1	
10 628 220 **	10.5 x 14.8 cm	(post card pad)

* Content 25 sheets, ** Content 20 sheets



Uhen letters become art...

The Hahnemühle Hand Lettering Block offers hand lettering enthusiasts a first-class foundation for practising their art. Developed together with hand lettering artists, it has been tailored to their specific needs, forming the basis for outstanding lettering.

Brush pens, fine-tip pens and pencils simply glide across the highly smooth paper. Preliminary sketches can be easily rubbed out on the coated surface, and the tips of sensitive brush pens or paintbrushes are preserved. The smooth, closed surface traps colours and prevents bleeding.

The brilliant white paper ensures vibrant colours; both monochrome and multicoloured motifs stand out and can be easily scanned and then further processed digitally. Our pads offer the perfect absorption and drying behaviour for brush pens, fine-tip pens and felt-tip pens.

The paper weighs 170 g/m^2 , and the pads – 25 sheets each and bound at the top – are available in A5 and A4 format.



Hand Lettering 170 gsm

Pads (Content 25 sheets)

Ref. No.	Size
10 628 990	A5
10 628 991	Α4



Skizze





The pad covers, with their clear design, are akin to the paper within. An unobtrusive, exclusive sketch paper is easy to work with at any opportunity. The bright white makes for beautiful gradation of the colours and the consistent structure allows for both drawing quickly and working accurately. Suited for all dry-painting techniques and pencils of all degrees of hardness. With a weight of 120 gsm, the paper is pleasantly flexible. The 190 gsm version, remains flexible but gives that extra strength required for continued workability.


The pads are available glued on top or spiral bound with micro-perforation. In both cases, once removed from the pad, the sheets conform to the exact specified format size. Acid free and with high longevity.

07

120 gsm

1-4-			
'aus	(Content	50	sheets)

·	•	
Ref. No.	Binding	Size
60 127 420	glued on top	A5
60 127 422	glued on top	Α4
60 127 424	glued on top	А3
60 127 428	glued on top	A2
60 127 429	glued on top	A1
60 120 268	spiral bound, micro-perforated	Α4
60 120 269	spiral bound, micro-perforated	А3








190 gsm

Pads (Content 50 sheets)

Ref. No.	Binding	Size
60 127 430	glued on top	A5
60 127 432	glued on top	A4
60 127 434	glued on top	А3
60 127 438	glued on top	A2
60 127 439	glued on top	A1
60 120 278	spiral bound, micro-perforated	A4
60 120 279	spiral bound, micro-perforated	А3
60 120 280	spiral bound, micro-perforated	A2





Pen Pad 250 gsm





250 gsm · double sized

This solid paper is designed to work accurately with the finest hatchings and shades of colour. Pencils or drawing pens virtually flow across the extremely smooth surface, allowing for rich lines and gentle drawing style at the same time. Suitable for all grades of pencil hardness, together with drawings using bow-type drawing pens, ink, drawing pens, paint brush and calligraphy pens. Natural white, acid free, high longevity.

Pads (Content 10 sheets)

Ref. No.	Size
10 628 701	A4
10 628 702	А3

ELVET **BLOCK**

SKETCH

This paper – which seems to be an ordinary paper at first glance – has a silky structure that allows for extraordinarily accurate drawing with virtually no blurring. It has a bright white surface which makes for clear contrasts. Controlling the pen is made pleasantly simple and when used with higher pressure, the pen makes for fine notches, allowing for undreamed of possibilities. Suited for all dry-painting techniques. Acid free with high longevity.

Pads (Content 40 shee	ets)
-----------------------	------

Ref. No.	Size
10 628 910	Α4
10 628 911	А3
10 628 912	A2

Sketch Paper VELVET 185 gsm

Stella

Sheets (Content 100, matt)

Silects (content 100, matt)				
	Ref. No.	Grammage	Size in cm	
	10 624 810	200 gsm	21 x 29.7	
	10 624 811	200 gsm	29.7 x 42	
	10 624 812	200 gsm	43 x 61	
	10 624 813	200 gsm	61 x 86	
	10 624 820	250 gsm	21 x 29.7	
	10 624 821	250 gsm	29.7 x 42	
	10 624 822	250 gsm	43 x 61	
	10 624 823	250 gsm	61 x 86	

Rolls

Ref. No.	Grammage	Size in m	
10 624 850	200 gsm	0.98 x 20	
10 624 851	200 gsm	1.48 x 20	

Fine white drawing paper, acid free, double sized, opaque, withstands repeated erasures. For technical and artistic drawings and for school use.





The Grey Pad & The Cappuccino Pad



The Grey Pad and The Cappuccino Pad

Hahnemühle is extending its range of very popular toned sketch papers with new pad formats. The Grey Pad and The Cappuccino Pad complements the Hahnemühle toned sketch paper assortment, inspired by the success of The Grey Book and The Cappuccino Book.

The light grey smooth sketch paper in The Grey Pad perfectly captures rainy days or dark nights, by setting shadows or white highlights so wonderful details can appear. Pens glide easily over the gently toned paper, ideal for paintings with water-based pens and inks. The cappuccino-coloured paper is reminiscent of freshly frothed milky coffee and offers warm-toned motifs an excellent painting base. Soft tones stand out on the smooth paper surface and can bring to life the unique luminosity of coloured pencils on the 120 gsm heavy paper.

These smooth coloured sketch papers both have a closed surface are perfectly suited for ink pens, fountain pens, coloured pencils and acrylic markers as well as all other water-based pens with little abrasion. Pads in both ranges are glued to the top and contain 30 sheets of 120gsm paper. When framed, these artworks will also form a nice eye-catching statement on the wall. The Grey Pad and The Cappuccino Pad are available in sizes A6, A5, A4, 14 x 14 cm and 20 x 20 cm. Like all Hahnemühle papers, they are aging-resistant and vegan.



The Grey Pad (120 gsm, 30 sheets)

Ref. No.	Size
10 625 320	A6
10 625 321	A5
10 625 322	Α4
10 625 323	14 x 14 cm
10 625 324	20 x 20 cm



Ref. No.	Size
10 625 330	A6
10 625 331	A5
10 625 332	A4
10 625 333	14 x 14 cm
10 625 334	20 x 20 cm



The CAPPUCCINO Book



With its light-brown paper, this sketchbook reminds of a cappuccino with fresh froth. Therefore, it's the ideal first choice for warm shades of colour. On the restrained background, colours stand out well and shine gently. By setting white accents, you can create wonderful contrasts. The smooth sketch paper, with its closed surface, is perfectly suited for working with Indian-ink pens, fountain pens and acrylic markers, as well as other water-based pens with minimum abrasion.

The dark-brown cover of the sketchbook nestles smoothly in your hands. Firm and discreetly grained, it feels like real wood. Bound in several layers and thread-stitched, all the pages sit solidly and allow the artist to work on two pages, across the centre seam. A brown bookmark ribbon completes the premium-quality features. With 40 sheets / 80 pages featuring 120 gsm, The Cappuccino Book is slim and an ideal companion if you are on the road or travelling. At the same time, it comes with enough reserves for many subjects. Available in A4 and A5, acid-free and with a high level of longevity.

Books (Content 40 sheets /80 pages)

Ref. No.	Size
10 628 995	A5
10 628 996	Α4



THE GREY BOOK





The smooth sketch paper is well suited for working with Indian ink, fountain pens and acrylic markers, as well as other water-based pens with minimum abrasion. Colours stand out well on the light-grey, non-absorbing surface. Subjects can be laid out from bright to dark and completed by setting white accents.

With its unobtrusive figure, the anthracite coloured cover provides the impression of precious wood and touching it feels great. Bound in several layers and thread-stitched, all the pages sit solidly and allow the artist to work on two pages, across the centre seam. A red bookmark ribbon completes the premium-quality features.

With 40 sheets / 80 pages featuring 120 gsm, The Grey Book is slim and an ideal companion if you are on the road or travelling. At the same time, it comes with enough reserves for many subjects. Available in A4 and A5, acid-free and with a high level of longevity.

Books (Content 40 sheets /80 pages)

Nostalgie





The popular classic.

Thread stitching makes for a solid binding and good flatness across the sheets. Double sided sketches and drawings across the fold can be created without any problems. With an anthracite-coloured cover featuring a linen structure, the book is hardwearing and pleasant to the touch.

Each book features 40 sheets / 80 pages of heavy, 190 gsm natural white paper. Clearly defined pen control and delicate hatchings allow for every kind of work – from the architectural sketch to the fast, vividly coloured drawings. Suitable for use with all dry-painting techniques in addition to wet colours, the paper brings a great sense of versatility and precision to the artistic process. Acid free with a high longevity. Available in A4, A5 and A6 sizes, each with a portrait or landscape option.

Books (Content 40 sheets / 80 pages)

Ref. No.	Size
10 628 690	A6 portrait size
10 628 691	A6 landscape size
10 628 692	A5 portrait size
10 628 693	A5 landscape size
10 628 694	A4 portrait size
10 628 695	A4 landscape size




250 gsm

The Black Books by Hahnemühle are small, black and versatile. These spiral-bound books with black paper were originally designed for sketching and pastel painting with contrasting colours, but they are also wonderful for other creative applications like scrapbooking, as a photo album, a guest book, a diary and many more. The 60 pages of black paper are acid free, allowing for long creative usage of the book.

Books (Content 30 sheets / 60 pages, spiral bound)

Ref. No.	Size
10 628 501	A5
10 628 502	Α4
10 628 503	23.5 x 23.5 cm








Sketch Booklet

140 gsm

The black sketch booklet, with its subtly grained cover, is the day-to-day companion for those who appreciate simple elegance. Being both flexible and slender, it fits into every pocket. The slightly rough ecru paper is suited for drawings with pencil, charcoal and red chalk. as well as coloured and pastel pencils and gel pens. It comes with 40 pages and is available in A4 and A5 formats.

Booklets (Content 20 sheets / 40 pages)

Ref. No.	Size
10 628 730	A5
10 628 731	A4





125 gsm

With its hard-wearing stitched binding, the 40-page Sketch & Note makes for the ideal travel companion. The full-grain natural white 125 gsm paper is perfectly suited for drawings and notes with pens of any kind. Sketch & Note is available in two-copy bundles in a variety of sizes. Six trendy cover colours are available: Cerise/Paprika in the 'Red Bundle', Delphinium/Menthe in the 'Blue Bundle' and Laurier/Fuchsia in the 'Grey/Pink Bundle'. Each booklet comes with a lined sticker for the owner's individual labelling.

Booklet (Content 20 sheets / 40 pages)





This sketch book is ideal for drawing with pencil, charcoal or red

The natural white colour allows good contrast and colour vibrancy of the sketches. Acid free and age resistant.

Books	(Content 62	sheets /	124 pages)	
1				

Ref. No.	Size
10 628 352	A5
10 628 353	А4
10 628 354	A3



Kraft Paper Sketch Booklet

120 gsm

Being rugged and flexible at the same time, this acid-free kraft paper sketch booklet doesn't need much space. It resembles an exercise book but being more durable and professional, it is the ideal companion for purists. It comes with 40 pages and is available in A4 and A5 formats.

The slightly rough paper is suited for drawings with pencil, charcoal and red chalk, as well as coloured and pastel pencils.

Booklets (Content 20 sheets / 40 pages)

Ref. No.	Size
10 628 790	A5
10 628 791	A4



Travel Journals & Travel Booklets in Counter Display

filled with 44 products

The handy Travel Journals or Travel Booklets are ideal for jotting down ideas or impressions whilst on the road. They are a practical companion for mobile people, who prefer to record their thoughts, feelings or impressions in

a traditional manner between the covers of a book or booklet. The Travel Journals from Hahnemühle, available in 9×14 cm and 13.5×21 cm size in both portrait and landscape format, are even held together by a practical

rubber band. The Travel Booklets are available in sizes 9 x 14 cm and 13.5 x 21 cm in portrait format. The booklets are also provided with a small pocket in the rear cover; a great idea for collecting loose notes, photos or other "valuables" that shouldn't be lost. The unlined sketch paper with a grammage of 140 gsm has a light structure ensuring good colour adhesion, making this paper ideal for lively and long-lasting pencil drawings. Acid free and age resistant.

Travel Journal

Travel Journals (Content 62 sheets / 124 pages)

Ref. No.	Size in cm
10 628 390	9 x 14 portrait format
10 628 391	9 x 14 landscape format
10 628 392	13.5 x 21 portrait format
10 628 393	13.5 x 21 landscape format

Travel Booklets (2 books à 20 sheets / 40 pages)

Ref. No.	Size in cm
10 628 394	9 x 14 portrait format
10 628 395	13.5 x 21 portrait format

The attractive counter display contains 6 Travel Journals each in portrait and landscape format each in 9x14 and 13.5x21 cm size. In addition, the display contains Travel Booklets in 10 packs of 2 booklets each in 9 x 14 and 13.5 x 21 cm, in portrait format.

Counter Display (filled)

Ref. No. Si	ize in cm (W x D x H)
10 628 399 ap	pprox. 30 x 28 x 47





Sketch Book D&S

140 gsm, natural white, 1.5x bulk, Acid free and age resistant. P = Portrait format / L = Landscape format

Books (Content 80 sheets / 160 pages)

Ref. No.		Size	
10 628 323 *	black, stitched binding	A6 P	
10 628 324 *	black, stitched binding	A6 L	
10 628 270	black, stitched binding	A5 P	
10 628 271	black, stitched binding	A5 L	
10 628 272	black, stitched binding	A4 P	
10 628 273	black, stitched binding	A4 L	
10 628 274	black, stitched binding	A3 P	
10 628 200	black, stitched binding	A3 L	
10 628 225	black, stitched binding	14 x 14 cm	square format
10 628 226	black, stitched binding	19.5 x 19.5 cm	square format
10 628 227	black, stitched binding	25 x 25 cm	square format
10 628 292	red, stitched binding	A5 P	
10 628 293	red, stitched binding	A5 L	
10 628 294	red, stitched binding	A4 P	
10 628 297	red, stitched binding	A4 L	
10 628 207	black, spiral bound	A5 P	
10 628 208	black, spiral bound	A5 L	
10 628 214	black, spiral bound	A4 P	
10 628 215	black, spiral bound	A4 L	

^{*} Content 62 sheets / 124 pages

Sketch Book D&S "Mini"

140 gsm, natural white, 1.5x bulk, acid free and age resistant.

Books (Content 30 sheets / 60 pages)

Ref. No.		Size in cm	
	10 628 329	black, stitched binding	12.5 x 9
	•••••	· · · · · • · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·







Pastel Papers

evelop your creativity! Pastel painting – the oldest painting technique!


The pastel papers made by Hahnemühle not only reproduce the colours faithfully, but also allow a variety of special effects to be created. They are available with various surface structures - from smooth to ribbed and in a wide range of colours. All types of paper guarantee perfect colour adhesion and optimum formation of pigments.



Sketch/Pastel

130 gsm · 100% cotton rag · material sized

Sketch/Pastel 130 gsm is the first product in the Hahnemühle Sketch/Pastel range made from 100% cotton rag. The natural white paper has a fine grain and an even surface texture which ensures optimum colour adherence for clear and colour intensive strokes. This paper quality is perfectly suited for pencil, charcoal, red ochre and pastel paintings. Sketch/Pastel 130 gsm is acid free and age resistant. It is glued along the top edge and available in sizes DIN A5 to DIN A2.



Pastel Velour

260 gsm

Pastel velour paper for pastel and oil pastel crayon.

10 different colours:

white, medium grey, yellow, green, orange, dark grey, sand, ochre, light grey, black



Pads (Content 10 sheets)

Ref. No.	Size in cm	Colour
10 628 601	24 x 32	10 different colours
10 628 611	24 x 32	white
10 628 602	30 x 40	10 different colours
10 628 612	30 x 40	white
10 628 603	36 x 48	10 different colours
10 628 613	36 x 48	white

Sheets (50 x 70cm, pack. unit 10 sheets)

Colour
white
medium grey
yellow
dark grey
sandy
ochre
light grey
black

90

...603

..602



lana Colours

 $160 \text{ g/m}^2 \cdot 45 \% \text{ cotton rag}$

A 45% cotton rag paper, textured on one side, smooth on the other side, allowing you to show all of your inspirations off to the very best effect. The 37 solution dyed colours in the LanaColours range offer a surface full of character and intensity for a highly versatile range of use. Acid free (except for black).

Sheets (21x29.7 cm, packing unit 50 sheets)

Ref. No.	Colour
15 023 100	white
15 023 137	
15 023 136	
15 023 131	
15 023 146	
15 023 158	steel grey
15 023 143	
15 023 148	
15 023 139	royal blue
15 023 151	brown

Sheets (50x65 cm, packing unit 25 sheets)

Sired to (soxos em, packing unit 25 sheets)	
Ref. No.	Colour
15 011 461	white
15 011 496	blue
15 011 480	light blue
15 011 472	canary
15 011 465	cream
15 011 467	steel grey
15 011 481	sap green
15 011 464	oyster
15 011 487	royal blue
15 011 489	brown
	Ref. No. 15 011 461 15 011 496 15 011 480 15 011 472 15 011 465 15 011 467 15 011 481 15 011 464 15 011 487

lana Cojouts

Sheets (21x29.7 cm, packing unit 50 sheets)

Ref. No.	Colour
15 023 149	sand
15 023 150	ochre
15 023 156	pearl
15 023 160	black
15 023 132	nrange
15 023 133	red
15 023 154	dark grey
15 023 145	ivy
15 023 152	hisque
15 023 159	cool grev
15 023 153	dark brown
15 023 134	claret
15 023 155	moonstone
15 023 138	sky blue
15 023 140	dark blue
15 023 141	turquoise
15 023 147	ivory
15 023 144	sage
15 023 121	indigo
15 023 122	rose quartz
15 023 123	mint
15 023 126	pistachio

Sheets (50x65 cm, packing unit 25 sheets)

Ref. No.	Colour
15 011 473	sand
15 011 495	ochre
15 በ11 493	pearl
15 011 463	hlack
15 011 497	orange
15 011 469	red
15 011 479	dark grey
15 011 471	ivy
15 011 490	bisque
15 011 483	cool grey
	dark brown
15 011 485	claret
15 011 498	moonstone
15 011 468	sky blue
15 011 470	dark blue
15 011 484	turquoise
15 011 482	ivory
15 011 486	sage
15 011 451	indigo
15 011 452	rose quartz
15 011 453	mint
15 011 456	pistachio

Sheets (70x100 cm, packing unit 10 sheets)

Ref. No.	Colour
15 011 561	white
15 011 572	canary
15 011 565	cream
15 011 581	sap green
15 011 564	oyster
15 011 573	sand
15 011 595	ochre
15 011 593	pearl

Sheets (70x100 cm, packing unit 10 sheets)

Ref. No.	Colour
15 011 563	black
15 011 569	red
15 011 579	dark grey
15 011 583	cool grey
15 011 591	dark brown
15 011 570	dark blue
15 011 582	ivory



The Hahnemühle range for oil and acrylic painting offers papers with a fine linen texture, as well as qualities possessing a more natural paper character. Multi-layered viscous colour applications and thinly layered transparent colour applications are possible on the different qualities with optimum results.

Oil and Acrylic

Artist papers


Oil and Acrylic

Oil and Acrylic Painting Paper









Pads (Content 10 sheets)

Ref. No.	Size in cm
10 628 301	18 x 24
10 628 302	24 x 32
10 628 303	30 x 40
10 628 304	36 x 48

230 gsm A special paper

A special paper with linen finish. Feels like painting on canvas. The colours do not bleed but retain their high luminosity, no halo effect.

Pads (Content 10 sheets)

Ref. No.	Size in cm
10 628 831	18 x 24
10 628 832	24 x 32
10 628 835	30 x 40
10 628 837	36 x 48

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm	
11 627 160	50 x 65	
11 627 161	75 x 100	

230 gsm

This high-quality oil/acrylic paint board is natural white and is made of 100% cellulose. The board is internally sized and has a special barrier layer to prevent bleeding and a halo effect. This quality is perfect for beginners, advanced painters and professional artists. The board possesses the natural linen structure of a genuine canvas guaranteeing the excellent results to be expected from oil and acrylic painting, as well as from oil pastel painting. Acid free and age resistant.

Sheets (Packing unit 10 sheets)
| Ref. No. Size in c

Ref. No. Size in cm
11 627 410 50 x 65

Oil and Acrylic Painting Paper



Acryl 330 gsm is a white paper with a slightly linen texture and Pads (Content 20 sheets) elegant satin finish. Multi-layered colour applications show Size in cm optimum results on this special paper. The colours stay perfect 24 x 32 and shine brillantly. The paper remains smooth even without wet 30 x 40 pre-treatment or stretching. This artist paper is acid free and age resistant.

10 628 132 36 x 48 Pack (Packing unit 50 sheets) Ref. No. Size in cm 10 650 130 24 x 32 10 650 131 30 x 40 10 650 132 36 x 48 Sheets (Packing unit 10 sheets) Ref. No. Size in cm 10 627 130 50 x 65



Pads (Content 20 sheets)

Ref. No. Size in cm 10 628 140 24 x 32 10 628 141 30 x 40 10 628 142 36 x 48 10 628 144 42 x 56 10 628 143 50 x 64

Sheets (Packing unit 10 sheets) Ref. No.

Size in cm 11 627 095 50 x 65 10 627 096 100 x 70

A natural paper specially designed for acrylic painting, it is acid free and age resistant. It has a light felt finish that absorbs the colour and enables multi-layered viscous colour applications with optimum results. The natural white acrylic paint board - made of 100% pulp is free of optical brighteners and therefore does not adulterate the vibrancy of the colours. This acrylic paint board is ideal for glazing and painting techniques similar to watercolours. It reflects the brilliance of the colours naturally.



Ref. No.

10 628 130

10 628 131

Acrylic Painting Paper



Pads (Content 10 sheets)

Ref. No.	Size in cm
10 628 313	24 x 32
10 628 314	30 x 40
10 628 315	36 x 48
10 628 316	42 x 56
10 628 317	50 x 64

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm	
10 627 313	50 x 65	

The high surface weight of this acrylic paint board makes it very robust. This stable painting base ensures optimum results for multi-layered viscous and also thinly layered and transparent colour applications. The Hahnemühle acrylic paint board delights with its finely textured surface ensuring vivid colour rendition and attractive colour application. The bright white of the board makes the colours glow. Acid free and age resistant.






60 gsm

The PE (Polyethylene)-coated paper in our palette pad is ideal for mixing oil and acrylic paints. It provides a strong barrier against oil and moisture.

Each sheet can be torn off easily from the disposable pad and the next clean coated paper is ready for use.

Block (Content 30 sheets)

Ref. No.	Size in cm
10 628 310	24 x 35





Mounting Boards & Printmaking Papers
Graphic Design

Mounting, Printmaking and Graphic Design

Hahnemühle Printmaking Papers

The Hahnemühle cylinder mould-made boards for artistic print techniques are produced in single sheets with 4 genuine deckled edges (* with 3 genuine deckled edges and one cut edge). This heavy weight, supple board is ideal for all forms of intaglio and lithography applications. The board's matt, soft, life-like surface produces particularly effective prints. All the boards are acid free and age resistant in compliance with DIN 6738 and ISO 9706.

BB = short grain \cdot SB = long grain

Sheets (matt/smooth, bright white, pack. unit 10 sheets)

Ref. No.	Size in cm approx.	Grammage
10 627 506	56 x 78 SB	300 gsm

with watermark "Rooster" and 4 genuine deckled edges

Sheets (matt/smooth, white, pack. unit 10 sheets)

Ref. No.	Size in cm approx.	Grammage
10 627 562*	53 x 78 SB	150 gsm
10 627 563*	53 x 78 SB	230 gsm
10 627 502	106 x 78 BB	230 gsm
10 627 564*	53 x 78 SB	300 gsm
10 627 504	106 x 78 BB	300 gsm
10 627 566*	53 x 78 SB	350 gsm

^{*} content 25 sheets, with watermark "Rooster" or "Hahnemühle"

Sheets 100 % cotton rag (matt/smooth, bright white, pack. unit 10 sheets)

Ref. No.	Size in cm approx.	Grammage
10 627 757*	56 x 78 SB	300 gsm
10 627 758	106 x 78 BB	300 gsm

* content 25 sheets, with watermark "Rooster"

10 627 758 with watermark "Hahnemühle" and "Rooster"





Sheets (pack. unit 100 sheets, Watermarks "Rooster" and "Hahnemühle")

Ref. No.	Surface	Size in cm	Grammage
10 105 734	white - matt/smooth	approx. 78 x <u>106</u> cm	150 gsm
10 105 738	white - matt/smooth	approx. 78 x <u>106</u> cm	230 gsm
10 105 760	white - matt/rigid	approx. 78 x <u>106</u> cm	230 gsm
10 105 748*	bright white - 100% cotton rag	approx. 78 x <u>106</u> cm	250 gsm
10 105 749*	bright white - 100% cotton rag	approx. 80,5 x <u>120</u> cm	250 gsm
10 105 735*	white - matt/smooth	approx. 78 x <u>106</u> cm	300 gsm
10 105 719*	white - matt/smooth	approx. 80,5 x <u>120</u> cm	300 gsm
10 105 737*	gelblich - matt/smooth	approx. 78 x <u>106</u> cm	300 gsm
10 105 752***	bright white - matt/smooth	approx. 78 x <u>106</u> cm	300 gsm
10 105 755*	bright white - 50% cotton rag	approx. 78 x <u>106</u> cm	300 gsm
10 105 761*	white - matt/rigid	approx. 78 x <u>106</u> cm	300 gsm
10 105 765*	antik - matt/smooth	approx. 78 x <u>106</u> cm	300 gsm
10 105 722*	bright white - matt/rigid	approx. 80,5 x <u>120</u> cm	300 gsm
10 105 805*, **	white	approx. 78 x <u>106</u> cm	300 gsm
10 105 758*	bright white - 100% cotton rag	approx. 78 x <u>106</u> cm	300 gsm
10 105 759*	bright white - 100%cotton rag	approx. 80,5 x <u>120</u> cm	300 gsm
10 105 740*	white - matt/smooth	approx. 78 x <u>106</u> cm	350 gsm
10 105 728*	bright white - matt/rigid	approx. 80,5 x <u>120</u> cm	350 gsm

Sheets (packing unit 100 sheets, Watermark "Rooster")

Ref. No.	Surface	Size in cm	Grammage
10 105 747	bright white - 100% cotton rag	approx. <u>56</u> x 78 cm	250 gsm
10 105 729	bright white - matt/smooth	approx. <u>50</u> x 65 cm	300 gsm
10 105 718	white - matt/smooth	approx. <u>56</u> x 78 cm	300 gsm
10 105 745	bright white - matt/smooth	approx. <u>56</u> x 78 cm	300 gsm
10 105 721	bright white - matt/rigid	approx. <u>56</u> x 78 cm	300 gsm
10 105 800**	white	approx. <u>56</u> x 78 cm	300 gsm
10 105 757	bright white - 100%cotton rag	approx. <u>56</u> x 78 cm	300 gsm
10 105 746	bright white - matt/smooth	approx. <u>56</u> x 78 cm	350 gsm

* 50 sheets

** 2 splashed / 2 trimmed edges, without Watermark

*** 50 sheets, without Watermark

Rolls (matt/rigid, packing unit 1 Roll)

Ref. No.	Surface	Size in cm	Grammage
10 105 797	white	approx. 124 cm x 20 m	350 gsm
10 105 798	white	approx. 124 cm x 50 m	350 gsm
10 105 794	bright white	approx. 124 cm x 20 m	350 gsm
10 105 795	bright white	approx. 124 cm x 50 m	350 gsm
•	• · · · · · · · · · · · · · · · · · · ·	• · · · · · · · · · · · · · · · · · · ·	•



HAHNEMÜHLE 1584



The Hahnemühle mounting boards produced on a fourdrinier machine are used mainly for framing art exhibits. The mounting board is also used as the base for the Hahnemühle multi-laminate museum boards. Hahnemühle mounting boards are also suitable for the most diverse applications in printing and drawing techniques. Hahnemühle mounting boards are acid free and age resistant in compliance with DIN 6738 and ISO 9706.

BB = short grain · SB = long grain

Sheets (content 25 sheets)

10 627 300 100 x 70 BB black 280 gsm 10 627 315 50 x 70 SB bright white 300 gsm 10 627 316 50 x 70 SB natural white 300 gsm 10 627 301 100 x 70 BB bright white 300 gsm 10 627 302 100 x 70 BB natural white 300 gsm 10 120 938* 70 x 100 cm black 380 gsm 10 120 915** 70 x 100 cm bright white 300 gsm 10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 920** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	Ref. No.	Size in cm	Colour	Grammage
10 627 316	10 627 300	100 x 70 BB	black	280 gsm
10 627 301 100 x 70 BB bright white 300 gsm 10 627 302 100 x 70 BB natural white 300 gsm 10 120 938* 70 x 100 cm black 380 gsm 10 120 915** 70 x 100 cm bright white 300 gsm 10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 921* 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 627 315	50 x 70 SB	bright white	300 gsm
10 627 302 100 x 70 BB natural white 300 gsm 10 120 938* 70 x 100 cm black 380 gsm 10 120 915** 70 x 100 cm bright white 300 gsm 10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 627 316	50 x 70 SB	natural white	300 gsm
10 120 938* 70 x 100 cm black 380 gsm 10 120 915** 70 x 100 cm bright white 300 gsm 10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 627 301	100 x 70 BB	bright white	300 gsm
10 120 915** 70 x 100 cm bright white 300 gsm 10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 627 302	100 x 70 BB	natural white	300 gsm
10 120 986* 100 x 140 cm bright white 300 gsm 10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 938*	70 x <u>100</u> cm	black	380 gsm
10 120 914** 70 x 100 cm natural white 300 gsm 10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 915**	70 x <u>100</u> cm	bright white	300 gsm
10 120 961** 100 x 140 cm natural white 300 gsm 10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 986*	<u>100</u> x 140 cm	bright white	300 gsm
10 120 916** 70 x 100 cm ivory 300 gsm 10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 914**	70 x <u>100</u> cm	natural white	300 gsm
10 120 920** 70 x 100 cm light grey 300 gsm 10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 961**	<u>100</u> x 140 cm	natural white	300 gsm
10 120 918** 70 x 100 cm black 280 gsm 10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 916**	70 x <u>100</u> cm	ivory	300 gsm
10 120 921* 70 x 100 cm bright white 400 gsm 10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 920**	70 x <u>100</u> cm	light grey	300 gsm
10 120 981* 100 x 140 cm bright white 400 gsm 10 120 922* 70 x 100 cm natural white 400 gsm	10 120 918**	70 x <u>100</u> cm	black	280 gsm
10 120 922* 70 x <u>100</u> cm natural white 400 gsm	10 120 921*	70 x <u>100</u> cm	bright white	400 gsm
	10 120 981*	<u>100</u> x 140 cm	bright white	400 gsm
10 120 971* <u>100</u> x 140 cm natural white 400 gsm	10 120 922*	70 x <u>100</u> cm	natural white	400 gsm
•••••••••••••••••••••••••••••••••••••••	10 120 971*	<u>100</u> x 140 cm	natural white	400 gsm


* content 50 Sheets, ** content 100 Sheets

Grafik Design Illustration BRISTOL BOARD

Suitable for pencil, Indian ink, pen, fineliner, airbrush and acrylic marker. Bright white, smooth surface, high opacity. Resistant to erasure, exceptional cutting and printing properties.

Pads (Content 20 sheets, 250 gsm)

Ref. No.	Size	
10 628 722	Α4	
10 628 723	А3	



Smooth on both sides, lignin free, white, acid free, high age resistance, double sizing. For mounting boards, enclosures, post cards, stencils, price tags, for the sketch and drawing technique, etc.. Ideal for grooving and creasing. Qualities above 625 gsm are multilayered.

Sheets

5			
Ref. No.	Size in cm	Content	Grammage
60 422 230	50 x 65	100 Sheets	310 gsm
60 422 280	100 x 65	100 Sheets	310 gsm
60 422 730	50 x 65	50 Sheets	625 gsm
60 422 780	100 x 65	50 Sheets	625 gsm
60 422 930	50 x 65	25 Sheets	910 gsm
60 422 980	100 x 65	25 Sheets	910 gsm







Manga Layout & Illustration is a light weight, white paper with a smooth surface. Even without a layout table, it can be easily used to trace. The colours do not spread out and will not bleed onto the next page of the pad. Manga Layout & Illustration Paper is available as an A4 pad containing 40 sheets.

Pad (Content 40 sheets)


Ref. No.	Size	
10 628 580	A4	

The spiral-bound Manga sketchbooks are ideal for scribbles or drawing a whole Manga storyline. These sketchbooks are available in a landscape A5 and A4 format each containing 75 sheets with a weight of 80 gsm.

Books (Content 75 sheets)

Ref. No.	Size
10 628 585	A5
10 628 586	Α4





Layout Pad

75 gsr

Special paper for felt tipped pens and markers. Colour does not bleed. Acid free and age resistant.

Pads (Content 75 sheets)

Ref. No.	Size
10 625 040	A4
10 625 060	А3
10 625 080	A2







ARC T2

Transparent Sketching Paper

Rolls (Core Ø 31 mm)

Ref. No.	Grammage	Size in m
10 620 002	40/45 gsm	0.33 x 20
10 620 003	40/45 gsm	0.33 x 50
10 620 005	40/45 gsm	0.64 x 20
10 620 009	24/25 gsm	0.33 x 50
10 620 010	24/25 gsm	0.33 x 100



ARC

Transparent Drawing Paper

Diamant Spezial Smooth

The micro-fine and hard surface of this highly transparent drawing paper Diamant Spezial ensures exact outlines and high-contrast drawings.

Suitable for all copiers, blue print or normal copies and micro films

Rolls (Core Ø 50mm)

Ref. No.	Grammage	Size in m
10 620 502	90/95 gsm	0.66 x 20
10 620 542	90/95 gsm	0.91 x 20
10 620 562	90/95 gsm	1.10 x 20
10 620 702	110/115 gsm	0.66 x 20
10 620 742	110/115 gsm	0.91 x 20




Highly Transparent Drawing Paper in Sheets

Diamant Spezial Smooth - replaces Diamant Copy

Application: Drawing (ink, indian ink, graphite, pencil), traditional printing techniques (letterpress, flat printing, screen printing), as well as inkjet and laser printing (preliminary tests are required).

Sheets

Ref. No.	Grammage	Size in cm	content	
10 621 501	90/95 gsm	21 x 29.7	250 sheets	
10 621 522	90/95 gsm	29.7 x 42	100 Sheets	
10 621 541	90/95 gsm	45 x 62.5	100 Sheets	
10 621 561	90/95 gsm	62.5 x 88	50 Sheets	
10 621 701	110/115 gsm	21 x 29.7	250 sheets	
10 621 722	110/115 gsm	29.7 x 42	100 Sheets	
10 621 741	110/115 gsm	45 x 62.5	100 Sheets	



Diamant Spezial Smooth

The micro-fine and hard surface of this highly transparent drawing paper Diamant Spezial ensures exact outlines and high-contrast drawings.

Suitable for all copiers, blue print or normal copies and micro films

Pads (Content 50 sheets)

Ref. No.	Grammage	Size
10 622 201	60/65 gsm	A4
10 622 221	60/65 gsm	А3
10 622 401	80/85 gsm	A4
10 622 421	80/85 gsm	А3
10 622 501	90/95 gsm	A4
10 622 521	90/95 gsm	А3
10 622 701	110/115 gsm	A4
10 622 721	110/115 gsm	А3

A4 Pads = glued on short side · A3 Pads = glued on long side





Fine White Drawing Paper, acid free, double sized, opaque, withstands repeated erasures. For technical and artistic drawings and for school use.

Sheets (Content 100, cold pressed)

Ref. No.	Grammage	Size in cm	
10 624 810	200 gsm	21 x 29.7	
10 624 811	200 gsm	29.7 x 42	
10 624 812	200 gsm	43 x 61	
10 624 813	200 gsm	61 x 86	
10 624 820	250 gsm	21 x 29.7	
10 624 821	250 gsm	29.7 x 42	
10 624 822	250 gsm	43 x 61	
10 624 823	250 gsm	61 x 86	

Rolls

Ref. No.	Grammage	Size in m
10 624 850	200 gsm	0.98 x 20
10 624 851	200 gsm	1.48 x 20



GRAPH PAPER(MILLIMETRE PAPER)

80/85 gsm Graph paper with 1 mm divisions.

Pads (Content 50 sheets)

Ref. No.	Size	Colour
10 662 561	A4	Red
10 662 711	А3	Red



PAD FOR STATICS ISOMETRIC PAPER PAD

60 gsm

Translucent copy paper. With light blue 5 mm squares and black margin.

Pad (Content 50 sheets)

Ref. No.	Size	
10 644 122	A4	

80/85 gsn

Drawing paper with a triangular coordinate grid for drawing objects in an isometric perspective.

Pads (Content 50 sheets)

Ref. No.	Size	
10 662 642	. A4	
10 662 762	А3	

Stationery

FineArt

Hahnemühle Sketch & Notebooks

Hahnemühle Traditional Artist papers are produced according to old recipes using high-quality raw materials and pure spring water. Hahnemühle combines centuries of experience with modern innovation and artists inspiration since 1584.

With the introduction of the new Stationery FineNotes line, Hahnemühle is consistently expanding its paper expertise into the field of writing culture. The notebooks are elegant companions in puristic designs, combined with fine details.

Sketch & Notebooks

Individual, elegant companions for perfect note-taking and sketching

1584 by Hahnemühle

1584 by blahnemühle The elegant "1584 by Hahnemühle" notebook is available in the finest of colours: sea green, lilac and peach. With its attractive, feminine design it is the perfect note-taking companion.

Thanks to the three colour-coded bookmark ribbons it is easy to find your appointments and notes, and a rubber band helps keeping your thoughts, little notes and pictures safe inside the notebook.

With 200 pages, "1584 by Hahnemühle" offers enough space to make appointments and reminders in your own style that brings back a bygone moment and tames the chaos of everyday life. 160 white pages of the finest writing paper with a 40-sided colour-coordinated core. The paper slides pleasantly through your fingers and is an absolute must for analogue font lovers.

The haptic, durable cover of the notebook with a precious embossing on the back does not only protect the content, but it also makes the book a piece of jewellery that you like to surround yourself with. In practical A5 format, it fits in any handbag so that thoughts and memories can be captured at any time.









100 sheets / 200 pages:

- 40 sheets of dotted white writing paper, 90 gsm
- 20 sheets of coloured writing paper, 100 gsm
- 40 sheets of dotted white writing paper, 90 gsm
- 3 coloured ribbon bookmark



10 625 008





10 625 009

10 625 010

1584 by Hahnemühle (100 sheets / 200 pages)

Ref. No.	Size	Colour
10 625 008	A5	sea green
10 625 009	A5	lilac
10 625 010	A5	peach

DiaryFlex

The individual notebook



DiaryFlex, the individual notebook by Hahnemühle that features interchangeable and replaceable content inserts. Several varieties of inserts including plain, ruled and dotted are available. No matter if used as a sketchbook or a notebook: the 160 pages offer enough room for all of your thoughts and ideas. The natural white 100 gsm paper is perfectly suited for fountain pens, pens, fine-liners or pencils. The cover is classically exclusive and robust at the same time and also protects the contents of DiaryFlex perfectly.

Even when you've filled your DiaryFlex with creative thoughts and ideas there is no need to say farewell. You can fill again and again with the various replacement booklets on offer. Just pull the note booklet out of the cover and replace with either a plain, ruled or dotted pack.

DiaryFlex 100 gsm (Content 80 sheets / 160 pages)

Ref. No.	Conten	t	Size
10 628 630		Book plain	19 x 11.5 cm
10 628 670		Refill plain	18.2 x 10.4 cm
10 628 631		Book ruled	19 x 11.5 cm
10 628 671		Refill ruled	18.2 x 10.4 cm
10 628 632		Book dotted	19 x 11.5 cm
10 628 672		Refill dotted	18.2 x 10.4 cm

DiaryFlex Display

Ref. No.	Size (W x D x H)
10 628 633	39 x 19 x 37 cm

Display is filled with 5 books each of the DiaryFlex plain, ruled and dotted and 6 refills each of the plain, ruled and dotted. There are 33 products in total!



Sketch Diary



Sketch and Notebook 120 gsm

Drawings and thoughts belong together. With this handy sketch diary, you can now visualize your personal impressions and thoughts in words and pictures. These diaries are a perfect companion for everyday life, as well as for journeys, meetings, and so on. The left hand pages are ruled for personal notes and pages on the right are blank. This way you can easily create your drawing of memories and ideas with pencil, charcoal, red ochre, crayon or coloured pens on the right page, opposite to your notes and key words. The handy sketch diary is spiral bound and easy to use when laid flat.

Each sketch diary comes with a pocket in the back for little pieces of remembrance, souvenirs, notes or small items. Also provided: Two labels to personalise the cover. That way, each book of the three possible sizes A6, A5 and A4 will become your unique sketch diary.

Books (Content 60 sheets / 120 pages)

Ref. No.	Size
10 628 753	A6
10 628 754	A5
10 628 755	A4



Hahnemühle Originals

DESIGN MEETS UNIQUENESS

Luxury writing instruments for the finest paper

Inspired by the pattern of the cylindrical mould on our 19th-century paper machine, our exclusive writing instruments feature a guilloché surface. This decorative patterning on the palladium-nickel alloy adds a touch of sophistication to our fountain pens, rollerballs and ballpoint pens, while evoking the moulds used by our papermakers. All our pens are produced in limited quantities and are a top-notch addition to the writing paper in our Hahnemühle notebooks.

Experience the perfect pairing of pen and paper! Every pen glides over the smooth paper, its ink sitting on the surface with richness and precision. Every page in your Hahnemühle notebook is a revelation when you write with, say, our fountain pens kitted out with rhodiumplated 18-carat gold nibs.

Treat yourself to a luxury writing experience: see for yourself how time slows down as your thoughts flow onto the page and you can focus on what really counts!

HAPTICS MEET CONNOISSEURS

Notebooks for people who love writing

Our expertise lies in crafting the finest writing paper and certificate paper, adorned with a cockerel watermark. Since our paper mill was founded in 1584, we have kept a resolute focus on developing the range established by our founder, Merten Spieß. We have created papers for the arts (including the art of writing) for centuries, and continue to do so in the present day.

Painters, graphic artists, illustrators, printers, photographers, advertisers, archivists, book-binders, art students, schoolchildren, scientists, engineers and laboratory technicians all use Hahnemühle papers. For all of them, paper is an indispensable tool for their work, a tool that they justifiably expect to meet the highest demands.

Our Hahnemühle FineNotes notebooks see us offer you an exquisite companion that appeals to all your senses: the finest creamy off-white Hahnemühle watermarked paper, enclosed between exquisite covers that protect your utterly personal entries – for a writing experience that both looks and feels stunning.




Digital FineArt Collection "Turning Images into Art"

he Digital FineArt Collection is a comprehensive assortment of high-quality, unique FineArt inkjet papers created for customers who are looking for something special and want to get the best out of their images. Achieving outstanding printing results and a high age resistance of over 100 years, the FineArt inkjet papers meet the highest standards for fine art applications and are perfect for long-term exhibitions, art collections and special editions.

To comply with these requirements, high-quality and ultra-pure artist papers are used as a paper basis. Specially manufactured natural wool felts give the artist papers their unique surface texture, providing a three-dimensionality that enhances the image effect thanks to an incredible depth. The heavy FineArt papers, which are based on cotton or alpha cellulose obtain a high grammage, distinctive paper thickness, and special tactile feel that increase their sense of value. A premium inkjet coating, which results in an impressive reproduction of colour and detail, incredible contrasts and deep blacks, round off this luxurious high-end assortment of individual FineArt inkjet papers.



Hahnemühle Photo The Quality Choice For Everyday Printing



and photo books.

All Hahnemühle Photo media are relatively thin and feature a smooth, barely textured surface, making them easy to print on and process. Nevertheless, the printing quality is convincing and delivers the best results in daily printing. With an age resistance of up to 30 years, the papers are perfect for all applications where the highest museum-level quality is not required.

www.hahnemuehle.com

Digital FineArt Collection Turning Images into Art

The Digital FineArt Collection is a comprehensive assortment of high-quality, unique FineArt inkjet papers created for customers who are looking for something special and want to get the best out of their images.

Hahnemühle Photo The Quality Choice For Everyday Printing

Hahnemühle Photo is a compact basic assortment comprising of seven high-quality inkjet media paper. Regardless of whether you choose basic fine art, classic photo paper or canvas – Hahnemühle Photo has the right product to meet any need, and is ideal for printing photos, posters and photo books.

Fine Art Ink Jet Pap

Application

High-quality FineArt Inkjet papers for FineArt application, FineArt prints, FineArt books and albums, longterm exhibitions, editions, art collections and art reproductions

Paper base

Heavy, high-volume artist papers with a cotton or α -cellulose paper base and a clearly visible and distinct surface texture providing an unique tactile feel

Coating

Premium inkjet coating especially designed to fulfil the high-end FineArt demands for an excellent reproduction of colour and detail, impressive contrasts and deep blacks

Longevity

100 years or more, acid and lignin-free, buffered with calcium carbonate, ISO 9706 conform, fulfils museum and gallery standards

Application

Basic inkjet papers for daily printing like photographs, poster prints, photo books and exhibitions with limited duration

Paper base

Low-weight cellulose papers or resin-coated substrate materials with a very light (or none at all) surface texture

Coating

High-quality inkjet coating especially designed for photo application which results in brillant colours, high contrasts and deep blacks

Longevity

Up to 30 years, acid and lignin-free






Photo Glossy 260

DISPLAYS, SAMPLES AND

CUPBOARDS





Sample Sheets

Pack. unit	protective charge in € - net
	1.00 / display
enty ruispiuy	1.00 y dispidy
	2.50 / Pack.
	2.50 / Pack.
	2.50 / Pack.
20 sheets	2.50 / Pack.
20 sheets	2.50 / Pack.
20 sheets	2.50 / Pack.
20 sheets	2.50 / Pack.
	2.50 / Pack.
	2.50 / Pack.
20 sheets	2.50 / Pack.
	2.50 / Pack.
pressed 20 sneets	2.50 / Pack.
20 sheets	2.50 / Pack.
20 sheets	2.50 / Pack.
20 choots	2.50 / Pack.
	2.50 / Pack. 2.50 / Pack.
	2.50 / Pack. 2.50 / Pack.
	2.50 / Pack. 2.50 / Pack.
	2.50 / Pack. 2.50 / Pack.
ZU SHEELS	Z.JU / Fack.
20 sheets	2.50 / Pack.
20 sheets	2.50 / Pack.
	20 sheets

Sample Sheets

Oil and Acrylic Paint Boards				
10 603 133	16 x 23	Oil 230 gsm	20 sheets	2.50 / Pack.
10 603 136	16 x 23	Oil/Acrylic 230 gsm	20 sheets	2.50 / Pack.
10 603 272	16 x 23	Acrylic 330 gsm	20 sheets	2.50 / Pack.
10 603 154	16 x 23	Acrylic 360 gsm	20 sheets	2.50 / Pack.
10 603 242	16 x 23	Acrylic 450 gsm	20 sheets	2.50 / Pack.



Samples

Ref. No.	Size in cm	description	Packing unit	protective charge in € - net
10 603 260	11.4 x 24	Artist Papers Sample Book	1 piece	5.00 / pieces

Pouches

Ref. No.	Size in cm	description	Packing unit	protective charge in € - net
10 603 500	27.5 x 80	Pouch, blocked for sheets	50 nieces	12.00 / nack.

Hahnemühle Display

Our two displays made of wood and acrylic elements offer you an attractive product presentation at eye level.

The space-saving table display offers 3 presentation shelves for products in A6, A5 and A4. The stand display has 5 shelves, 2 presentation areas for A6, 2 for A5 and one for A4 formats. An extra compartment serves as additional storage space and offers space for formats up to A4. Due to mounted rolls, the display can be easily moved.

Table display · 4-sided

Table display 1 staca				
Product	Ref. No.	Size	Units	
D&S Mini	10628329	A6	8	
Dalsa Cleatab Dalais	10628287	A5	4	
Deko Sketch Book	10628288	A4	4	
	10628870	A6, red	8	
Sketch & Note	10628871	A5, red	8	
	10628872	A4, red	8	
Bamboo Carnet de Voyage	10628549	153x250 mm	4	
Davida - Clastala Davida	10628565	A5	6	
Bamboo Sketch Book	10628566	A4	6	
Nostalgie Sketch Book	10628693	A5, landscape	6	
Hand Lakedon	10628990	A5	15	
Hand Lettering	10628991	A4	15	
1x table display	10629004	FOR FI	REE	



Dimension: 33 x 33 x 86,5 cm (W x D x H), Transport dimension: 93 x 51 x 65 cm (W x D x H), Weight: 17.6 kg

Floor display · 4-sided

Product	Ref. No.	Size	Units
	10628690	A6, portrait	6
	10628691	A6, landscape	6
Nostalgie Sketch Book	10628692	A5, portrait	6
	10628693	A5, landscape	6
	10628694	A4, portrait	6
Sketch & Note	10628890	A6 (grey/pink)	8
Skettii & Note	10628880	A6 (blue/green)	8
Cleatab Diam.	10628753	A6	4
Sketch Diary	10628754	A5	4
The Court De els	10628681	A5	8
The Grey Book	10628682	A4	8
	10628813	A6, portrait	6
	10628810	A6, landscape	6
Watercolour Book	10628814	A5, portrait	6
	10628811	A5, landscape	6
	10628812	A4, landscape	6
Sketch Book 120	10628352	A5	4
SKELLII BOOK IZU	10628353	A4	4
Watercolour postcard metal box	10650000	10.5 x 14.8 cm	3
/raft nanor	10628790	A5, booklet	3
Kraft paper	10628780	A5, book	4
1x floor display	10629005	FOR FR	EE



Dimension: 45 x 45 x 162 cm (W x D x H), Transport dimension: 56 x 56 x 169 cm (W x D x H) + DU Palette (80 x 60 cm), Weight: 24.0 kg







Counter Display Made of acryl glass

Ref. No.	Size in cm	Packing unit	net price in €
10 629 003	3-stepped Display 49 x 31 x 35 (unfilled)	1 Display	68.00 / Display

Easel-Display

3-side plated Easel with each 4 shelfs – unfilled.

Ref. No.	Size in cm	Packing unit	net price in €
10 629 104	approx, height 177 cm · width 80 cm · depth 70 cm	1 easel	135.00 / easel

* sample filling 126

Merchandising-Produkte



Hahnemühle Calendar 2022 "Joy and Happiness" 10 603 020



Bone Folder 10 608 839 made of bamboo



Writing pad A4 Hahnemühle 10 608 838

Foldback Clip, red 10 608 833



Thermo canl 10 608 844 with Hahnemühle Logo



Writing Case, napa leather

With zipper and embossing.

and Hahnemühle writing pad.

Contains Hahnemühle ballpoint pen

10 608 840

Gloves 55 645 030 white, with logo



in black case

Hahnemühle Lanyards

10 608 842

black / grey

Sample Pad FineNotes, premium writing paper with watermarks



Peppermint Dispenser 10 608 832



Hand disinfectant & hand cleaning gel 10 608 846 / 10 608 845



Candle in glass 10 608 843



Hahnemühle Foldable Water Cup 10 608 856



Hahnemühle Paper Bag black



Hahnemühle Carrying bag red 10 603 451 / 10 603 453 In two different sizes



Medical face mask Made in Germany, 98% efficiency



◀ Hahnemühle Paper bag 10 603 454



Hahnemühle Porcelain Cup 10 608 848

Artist apron

10 608 835



FFP2 Mask - Filtering half mask Made in Germany, 98% efficiency

10 608 836 black, with logo 128



Deco Card Set for Poster Display 10 608 854



Acrylic Cube for 1 pen 10 608 849



RefNo.	Product	Description	Packir	ng Unit	EAN-Code
10603020	Hahnemühle Calendar 2022 "Joy & Happiness"	45 x 60 cm, landscape size	pack	1piece	4011367104269
10603451	Hahnemühle Carrying Bag red	52 x 40 x 10 cm, textile	pack	25 pieces	4011367097844
10603453	Hahnemühle Carrying Bag red	40 x 40 x 10 cm, textile	pack	25 pieces	4011367110963
10603454	Hahnemühle Paper Bag white	54 x 45 x 15 cm	pack	25 pieces	4011367107741
10608832	Hahnemühle Peppermint Dispenser	box8x5cm, sugar free	pack	1piece	4011367103279
10608833	Hahnemühle Foldback Clips red	width:32 mm	pack	60 pieces	4011367108533
10608835	Hahnemühle Painting Apron black	approx.88 x 67 cm	pack	1piece	4011367110314
10608836	Hahnemühle Glass Jar (availability upon request)	diameter: 18 cm, height: 25 cm	pack	1piece	4011367112615
10608837	Hahnemühle Ballpoint Pen grey	length: 13.7 cm, ink colour: blue	pack	10 pieces	4011367112080
10608838	Hahnemühle Writing Pad, dotted	A4,50 sheets	pack	10 piece	4011367112493
10608839	Hahnemühle Bone Folder made of bamboo	length: 15.5 cm	pack	1piece	4011367112127
10608840	Hahnemühle Writing Case with zipper, black	A4, Napa leather	pack	1piece	4011367112523
10608841	Hahnemühle Linen Tester with scale (6x magnification) with b	lack case	pack	1piece	4011367112547
10608842	Hahnemühle Lanyard	black/grey	pack	1piece	4011367112714
10608843	Hahnemühle Candle in glass "The Collection"	Cotton scent	pack	1 piece	4011367112776
10608844	Hahnemühle Thermo Can WMF	350 ml	pack	1piece	4011367112875
10608845	Hahnemühle Hand Cleaning Gel	white, 50 ml bumper	pack	1 piece	4011367113124
10608846	Hahnemühle Hand Disinfectant	white, 50 ml bumper	pack	1piece	4011367113445
10608847	Acrylic Bookstand	80 x 137 x 180 mm	pack	1 piece	4011367114626
10608848	Hahnemühle Porcelain Cup	diameter: 10 cm, white	pack	1 piece	4011367114640
10608849	Acrylic Cube for 1 pen	40 x 40 x 40 mm	pack	1piece	4011367114671
10608850	Acrylic Pen Holder for 1 pen	40 x 70 x 70 mm	pack	1piece	4011367114688
10608851	Acrylic Pen Holder for 2 pens	40 x 70 x 70 mm	pack	1 piece	4011367114695
10608852	Poster Display (Deco Card Set not included!)	A5, portrait size	pack	1piece	4011367114763
10608853	Sample Pad FineNotes, premium writing paper with watermarks	A5, landscape size, 25 sheets	pack	2 pieces	4011367114954
10608854	Deco Card Set for Poster Display	1x promotional poster for each Edition	pack	1piece	4011367115197
10608856	Hahnemühle Foldable Water Cup	red, silicone, lid with logo	pack	1piece	4011367115937
18309920	Hahnemühle Paper Bag black	24 x 9 x 20.5cm, silver hot-foil embossing	pack	20 pieces	4011367115685
55645030	Hahnemühle Gloves	white	pack	24 pieces / 12 pairs	4011367112622
52522710	FFP2 Mask - Filtering half mask	Made in Germany, 98% efficiency	pack	25 pieces	4011367115791
52522711	Medical face mask	Made in Germany, 98% efficiency	pack	50 pieces	4011367116521

Hahnemühle FineArt Group · Hahnestraße 5 · 37586 Dassel

Persons to contact

President / CEO

Jan Wölfle

Phone: +49 55 61 / 791-237 Fax: +49 55 61 / 791-377 Jan.Woelfle@hahnemuehle.com

Vice President & General Manager

Henrik Bernander Phone: +65 6955 7758

Henrik.Bernander@hahnemuehle.com

Export Sales

Southern Europe, Latin America

Luciana Leite

Phone: +49 55 61 / 791-325 Fax: +49 55 61 / 791-71235 Luciana.Leite@hahnemuehle.com

Northern Europe

Garry Simm

Phone: +44 7813 138707 Fax: +44 1603 757915

Garry.Simm@hahnemuehle.com

Asia-Pacific

Henrik Bernander Phone: +65 6955 7758

Henrik.Bernander@hahnemuehle.com

Eastern Europe, Baltic Countries, Malta, Cyprus, Greece, Middle East, South Africa

Michael Tritschler

Phone: +49 55 61 / 791-222 Fax: +49 55 61 / 791-71222

Michael.Tritschler@hahnemuehle.com

Sales Representatives / Agents

Belgium

Gérard Maillet

Phone: +33 1 53 25 04 90 Mobile: +33 625 95 73 39

contact.moulinducog@hahnemuehle.com

Bosnia-Herzegovina, Bulgaria, Croatia, Hungary, Macedonia, Romania, Slovenia and Slovakia

Rudolf Szálasi

Phone: +36 87 544 040, Fax: +36 87 544 041

rudolf.szalasi@t-email.hu

Netherlands

Bart Wanrooy

Phone: +31 3 34 94 82 48 Mobile: +31 6 53 35 76 62 bart@wanrooy.nl

Norway

Trevor van Eck Phone: +47 9115 01 96 tve@onpaper.no

Spain, Portugal

Heloart S. L.

Phone: +34 952 66 38 34 Fax: +34 952 66 38 35 heloart@heloart.net

Russia, Ukraine

Heloart S. L.

Phone: +34 952 66 38 34 Fax: +34 952 66 38 35 heloart@heloart.net

Extract from our sales and delivery conditions

We deliver:

Europe:

minimum order value over 500.00 EUR ex works (EXW)
 order value over 1,500.00 EUR free German border

further conditions have to be agreed separately

Worldwide:

minimum order value over 500.00 EUR ex works (EXW)

order value over 1,500.00 EUR
 free German seaport (FOB) / free German airport (FCA)

• further conditions have to be agreed separately.

• Postal parcels are despatched from Dassel, Germany.

• Conditions according to Incoterms 2010.

Storage of papers

Paper is sensitive and has to be stored protected from every kind of humidity: best at a temperature of +20 °C and a relative humidity of 50 %. In case of non-observance we cannot take over a guarantee for the maintenance of an impeccable condition.

Packing units

We ask for consideration of the stated packing units. Delivery of incomplete packing units is not possible.

Transport damages

We are not liable for transport and hidden damages, but railway, forwarding agency, German parcel services or post as carrier.

Please note the following items:

- Examine incoming packing pieces outward thoroughly
 For damage assessment inform immediately the goods station
 within 7 days at the latest, the forwarding agency or German parcel service
 within 3 days at the latest, the postal office within 24 hours at the latest.
- · Leave goods and packing unchanged till damage assessment.
- Take photos if possible.

Should you do not assert your claims by yourself we need for adjustment of damages:

- factual statement,
- · original way-bill,
- a transfer declaration given by you.

Subsidiaries

United Kingdom

Hahnemühle UK Ltd.

Suite 5, St. Mary's Court Carleton Forehoe

GB-Norwich NR9 4AL

Phone +44 845 3300 129 / +44 1603 759266

Uksales@hahnemuehle.com www.hahnemuehle.co.uk

France

Hahnemühle France / Moulin du Coq Sarl

41, Rue de la Chaussée d'Antin

F-75009 Paris

Phone +33 1 53 25 04 90 Fax +33 1 53 25 04 91

Contact.MoulinduCoq@hahnemuehle.com

USA

Hahnemühle USA Inc.

380 North Terra Cotta Road, Suite G

USA-Crystal Lake, IL 60012
Phone +1 815 502-5880
Fax +1 815 502-5879
Usasales@hahnemuehle.com

China

Hahnemühle China Co. Ltd.

Shanghai Branch Office

Room 515, No.69, Lane.1333, Xinlong Road

Minhang District, Shanghai

China 201101

Phone +86(21)64790326 Fax: +86(21)64790327 contact@hahnemuehle.com.cn

Asia-Pacific

Hahnemühle Asia Pacific Pte Ltd.

18 Robinson Road #16-01 Singapore 048547 Phone +65 6955 7758

henrik.bernander@hahnemuehle.com

DIN-sizes

DIII GIZCO			
Sheet sizes DIN 476 Row A	Trimmed drawing sheet and trimmed blueprint sheet	Drawing area	Untrimmed sheet (Basic sheet for the one-off print)
A 0	841 x 1189 mm	831 x 1179 mm	880 x 1230 mm
A 1	594 x 841 mm	584 x 831 mm	625 x 880 mm
A 2	420 x 594 mm	410 x 584 mm	450 x 625 mm
A 3+	329 x 483 mm		
A 3	297 x 420 mm	287 x 410 mm	330 x 450 mm
A 4	210 x 297 mm	200 x 287 mm	240 x 330 mm
A 5	148 x 210 mm	138 x 200 mm	165 x 240 mm
A 6	105 x 148 mm		

Be inspired ...









Hahnemühle Artist Papers



Hahnemühle

Terms of Delivery and Sale

Terms of Delivery and Sale

Version: September 2014

1. Scope and Formation of Contract

1.1. The following terms and conditions apply to all deliveries and services which we perform in the capacity of a Seller or Supplier. They apply exclusively towards entrepreneurs, legal persons under public law or a special fund under public law in the meaning of Section 310 (Content 1) of the German Civil Code [BGB]. These terms and conditions apply exclusively. Deviations from the subsequent terms and conditions as well as terms and conditions that conflict with them apply only if we expressly acknowledged this in writing. These terms and conditions apply equally to all future business transactions between the Parties even if we deliver the goods in the knowledge of conflicting or divergent terms and conditions.

1.2. As the individual case may be, individual agreements entered into with the Customer (including sub-

sidiary agreements, supplements and amendments) shall in any case take priority over these terms and conditions. The substance of such agreements is contingent upon a written contract and/or our written confirmation. Legally relevant declarations and notifications which the Customer shall submit to us following the formation of the contract (e.g. deadlines, notifications of defects, declarations of rescission, etc.) must be stipulated in writing to become effective.

1.3. Our offers are subject to confirmation and non-binding. This applies even if we provide catalogues, technical documentation, miscellaneous product descriptions or documents (Documents) - even in electronic form – to the Customer. We reserve the unlimited title and copyright to these Documents. They shall be made accessible to third parties only following our prior approval. If the contract is not awarded to us, all Documents shall be immediately returned to us at our request. This applies equally to documents of the Customer. However, such documents may be made accessible to those third parties to whom we are permitted to assign deliveries or services.

1.4. Orders placed by the Customer are deemed binding contract offers. Unless they stipulate otherwise, we are entitled to accept these within 14 working days as from the date of reception (in writing or by delivery of the goods).

2. Price

2.1. Our prices apply according to the respectively applicable price list and/or our offer ex works and exclude freight charges, the cost of packaging, postage, insurance as well as other shipping costs unless expressly agreed otherwise. The applicable value added tax is payable in addition to the calculated price.
2.2. We charge packaging at cost. The packaging becomes the Customer's property; we shall not accept any returned packaging. Extra charges for express deliveries are for the Customer, as are charges for measurement range.

2.3. Extra charges which we incur as a result of late changes to the order will be invoiced to the Customer.
2.4. Sketches, drafts, trial prints, samples and similar preparatory work for printing orders which the
Customer initiates will be invoiced even if the contract is not awarded.

3. Terms of Payment

3.1. Payment is due in full within 30 calendar days after the invoice date

3.2. The Customer shall bear the transport costs ex warehouse as well as the cost of any transport insurance which the Customer requests, plus any possible customs duties, fees and taxes as well as other public dues for sale-by-dispatch orders (Item 5.1).

3.3. Bills of exchange shall only be accepted by virtue of a special agreement and on account of payment without extending any discount. Discounting and charges are for the Customer. They are payable by the Customer immediately after being invoiced. When accepting bills of exchange we shall not be liable for the timely submission, protesting, notification and return of the bills of exchange unless we or our vicarious agents are guilty of wilful intent or gross negligence.

3.4. Customised orders or the provision of exceptional products or any other advance performance may be subject to a payment in advance.

3.5. All cash and non-cash payments made relative to accounts payable must be effected in Euro.
3.6. The Customer is only entitled to offset against claims if its counterclaims are undisputed or have been established as final and absolute. The Customer is only entitled to assert rights of retention in relation to counterclaims pertaining to the same legal relationship. In the case of defects to the goods the Customer's reciprocal rights pursuant to Item 7.6. Sentence 2 of these terms and conditions remain unafferted.

4. Default of Payment

4.1. If the fulfilment of the payment claim is jeopardised by virtue of a deterioration of the Customer's financial situation which occurred or became known following the formation of the contract, we may demand advance payment and the immediate settlement of all outstanding invoices, withhold goods that have not yet been delivered and cease working on ongoing orders. Moreover, we are entitled to rescind the contract (Section 321 BGB), poss. after setting a deadline. For contracts specifying customised orders we may declare our rescission with immediate effect; the statutory regulations pertaining to the dispensability of setting a deadline remain unaffected. We are even entitled to these rights if the Customer, in spite of a reminder issued due to a default (insofar as this is required), did not effect a payment.

4.2. In the case of a default of payment (expiration of the payment deadline pursuant to Item 4.1.), interest for default is payable at the statutory rate. This does not exclude the assertion of any further default damages nor the entitlement to commercial interest payable after the due date pursuant to Section 353 of the German Commercial Code [HGB].

5. Delivery and Acceptance

5.1. Goods are delivered ex works which also constitutes the place of fulfilment. At the Customer's request and cost, the goods will be dispatched to an alternative destination ("Sale by Dispatch"). Unless agreed otherwise, we have the right to autonomously determine the type of transport (especially the transport company, dispatch route, packaging). When shipping the goods, the risk of accidental loss and of accidental deterioration of the goods passes to the Customer at the time of dispatch.

5.2. Delivery dates are only binding if we expressly confirmed them. Otherwise, details pertaining to delivery periods or delivery deadlines take on the meaning of information. However, the delivery time does not commence before the Customer procured the necessary records, permits and approvals or prior to receiving an agreed down payment. A delay in delivery does not justify a claim for a contractual penalty. Statutory regulations shall determine when our delay in delivery has occurred, unless these terms and conditions stipulate otherwise. However, in any case a reminder by the Customer is required.

5.3. If we do not deliver by a binding delivery deadline the Customer shall grant us an appropriate extension. An extension need not be granted in the event of special circumstances which, after taking into consideration both parties' mutual interests, justify the immediate rescission of the contract.

5.4. If we are unable to comply with binding delivery periods for reasons for which we cannot be held responsible ("Unavailability of Performance"), we shall immediately notify the Customer accordingly and at the same time shall inform the Customer of the presumed new delivery period. If the performance remains unavailable even within the new delivery period, we are entitled to rescind the contract either in full or partially; we shall immediately reimburse any consideration already rendered by the Customer. The Unavailability of Performance in this meaning applies especially to the late self-delivery by our suppliers; if we concluded a matching covering transaction; if neither we nor the supplier are at fault or; as the individual case may be, if we are under no procurement obligation.

5.5. If the Customer does not accept goods supplied under the contract, we have the right to store the goods at the expense of the Customer and, following the unsuccessful expiration of a two-week period by which the goods are to be accepted, we may rescind the contract and demand compensation for damages. 5.6. We are not obligated to take back goods that are free from defects. If, however, we declare ourselves willing to take back goods that are free from defects, we are at liberty to invoice extra charges for the inspection, reservation or the like, based on the degree of work involved. Customised productions - subject to the regulations under Item 7. - are exempt from a return. If goods that are free from defects are taken back, the risk of accidental loss or accidental deterioration of the delivery item rests with the Customer.

6.1. We reserve the title to the supplied goods until all our claims against the Customer resulting from the business connection, including any and all future claims arising from contracts that were also formed at the same time or at a later point in time, have been settled. This applies even if individual or all claims of ours have been included in a current account which has been balanced and approved.

6.2. In the event of conduct contrary to the terms and conditions of the contract, especially in the event of a payment default, we are entitled to take back the goods, and the Customer is obligated to hand said goods over to us. Our taking back the goods can only be construed as a rescission of the contract if we expressly declare this in writing. If the Customer does not pay the due purchase price we may only assert these rights if we previously granted an adequate deadline for payment to the Customer which expired without success or if this can be dispensed with pursuant to the statutory regulations. The goods under reservation of title shall neither be pledged to third parties nor be transferred as security until the secured claims have been paid in full. The Customer shall immediately inform us in writing if and to the extent that third parties exercise any rights to the goods that are our property. In the event of attachments or other action by third parties the Customer shall inform us in writing and shall forward to us an attachment record as well as an affidavit pertaining to the identity of the attached item.

6.3. The Customer is entitled to resell and/or process the goods during the ordinary course of business. In this case, the following conditions apply:

(a) The reservation of title covers the full value of the products resulting from the processing, mixing or combination of our goods, with us being deemed to be the manufacturer. If in the event of processing, mixing or combining with third party goods their title remains in effect, we acquire co-ownership in relation of the goods' invoice value to the processed, mixed or combined goods. In other respects the same applies to the resulting product as to the goods supplied under a reservation of title.

(b) The buyer shall already as per today assign to us any claims resulting from reselling the goods or from the product against third parties in their entirety or in the amount of our potential co-ownership share pursuant to the above paragraph (a) as security. We accept such assignment. The buyer's obligations named under Item 6.2. apply also to such assigned claims.

(c) The buyer shall remain authorised to collect the claims in addition to us. We shall undertake not to collect the claim provided that the buyer fulfils its payment obligations towards us; does not default payments; does not file for the instigation of insolvency proceedings; and no other deficiency in its performance capacity applies. However, if this is not the case we may demand that the buyer names the assigned claims and their debtors to us; provides us with all the necessary details required for a collection; hands us the respective documents; and informs the debtors (third parties) of such assignment.

(d) If the realisable value of the securities exceeds our claims by more than 10%, we shall release securi-

7. Customer's Claims for Defect

ties at the request of the buyer at our discretion.

7.1. The Customer's rights in relation to defects in quality and title (including wrong delivery and short delivery) are governed by statutory regulations unless stipulated otherwise in the following. Special legal requirements pertaining to the final delivery of the goods to a consumer remain unaffected in any case (recourse against suppliers pursuant to Sections 478. 479 BGB).

7.2. The basis of our liability for defects is primarily the agreement pertaining to the quality of the goods. An agreement pertaining to the quality of the goods includes any and all product descriptions which constitute the subject matter of the individual contract, regardless as to whether the product description originates from the Customer, from the manufacturer or from us.

7.3. In the absence of any agreed quality, it is for the statutory regulations to assess whether a defect applies or not. We do not assume any liability for public statements on behalf of the manufacturer or of other third parties (e.g. advertisements).

7.4. The Customer's claims for defects require that the Customer fufilled its legal duty to examine and obligation to give notice of defects (Sections 377, 381 HGB). We shall be immediately notified in writing of any defect that is detected during the examination or later. Such notification is deemed to have been given immediately if made within two weeks after having received the goods, whereby the timely posting of the notification suffices to comply with the deadline. Regardless of this duty to examine and obligation to give notice of defects the Customer shall indicate in writing any visible defects (including wrong delivery and short delivery) within two weeks of having received the goods whereby here, too, the timely posting of the notification suffices to comply with the deadline. If the Customer fails to properly examine and/or submit a notification of defect, our liability is excluded for such defect of which we were not notified.

7.5. If the delivered item is defective we may initially choose whether to remedy the defect (subsequent improvement) or deliver a non-defective item (replacement delivery). Our right to refuse any supplementary performance under the legal requirements remains unaffected.

7.6. We have the right to make the owed subsequent performance contingent upon the Customer paying the due purchasing price. However, the Customer is entitled to withhold such share of the purchase price which is appropriate in relation to the defect.

7.7. The Customer shall grant us the necessary time and opportunity required to fulfil the owed subsequent performance and in particular shall hand the rejected goods to us for the purpose of inspection. In the event of a substitute delivery the Customer shall return to us the defective item pursuant to statutory regulations. The subsequent performance consists neither of dismantling the defective item nor of its renewed installation, unless we were originally obligated to perform the installation.

7.8. We shall bear the necessary expenses required for the inspection and subsequent performance, especially the cost of transport, shipping, work and material (not included: cost of dismantling and installation) if indeed, a defect applies. However, should the Customer's request for a remedy of defect prove unjustified, we may demand that the Customer refund the costs resulting from this to us.

7.9. If the subsequent performance failed or the time limit established by the Customer for the subsequent fulfilment expired without success or can be dispensed with according to statutory regulations, the Customer may rescind the contract or reduce the purchase price. However, the right to rescind the contract does not apply to cases of minor defects.

7.10. The Customer's claims for compensation and/or for the replacement of futile expenses exist only subject to Item 8 and are excluded in other respects.

8. Other Liability

8.1. If nothing to the contrary emerges from these terms and conditions including the subsequent provisions, we shall be liable in the case of a breach of contractual and non-contractual obligations pursuant to the relevant statutory regulations.

8.2. We are liable to compensate for damages in the case of intent and gross negligence, regardless of the legal grounds. In cases of simple negligence we are only liable

a) for damage resulting from harm to life, body or health;

b) for damage resulting from the breach of a material contractual obligation (obligation whose fulfilment facilitates the proper performance of the contract sine qua non, compliance with which the contractual party regularly relies upon and may rely upon); in this case, however, our liability is limited to replacing the typically foreseeable damage that may occur.

8.3. The limitations of liability resulting from Item 8.2. do not apply to the extent that we fraudulently concealed a defect or warranted a property of the goods. The same applies to claims of the Customer under the Product Liability Act.

8.4. The Customer may only rescind or terminate the contract for a breach of obligation which does not consist of a defect, if we are liable for the breach of obligation. A free right of termination on behalf of the Customer is exempt (especially pursuant to Sections 651, 649 BGB). In other respects the statutory requirements and legal consequences apply accordingly.

9. Documents and Tools, Insurance, Third Party Rights

9.1. Master copies, drawings, raw materials, print substrates and other items suitable for reuse such as semi-finished and finished products which the Customer provided to us shall be collected by the Customer upon delivery; alternatively, at the Customer's request, we shall return these to the Customer at the Customer's expense. They will only be stored beyond the delivery date following prior arrangement and in return for a special consideration.

9.2. The items described above will be handled with care until the date of delivery. We shall only be held liable for damage in the case of intent or gross negligence.

9.3. If the items described above shall be insured, the Customer shall autonomously arrange for them to be insured.

9.4. Devices, tools and other master copies which are necessary to perform the contract and which we developed and manufactured remain our property even if proportionate costs were invoiced for this.
9.5. The Customer alone is responsible for ensuring that the performance of its contract does not infringe upon any third party rights, and here in particular copyrights, trademark rights, patents or registered designs. The Customer shall release us from all third party claims for the violation of such

10. Statutory Limitation

10.1. By way of derogation from Section 438 (Content 1) no. 3 BGB the general limitation period for claims resulting from defects in quality and title is one year as from delivery. To the extent that an acceptance as been agreed, the statutory limitation commences upon acceptance.

10.2. The aforementioned limitation periods under commercial law apply equally to contractual and non-contractual claims for damages of the Customer which are due to a defect of the goods unless application of the ordinary statutory limitation period (Sections 195, 199 BCB) would, as the individual case may be, lead to a shorter limitation period. In any case, the limitation periods under the Product Liability Act remain unaffected. In other respects the Customer's claims for damages pursuant to Item 8 fall exclusively under the statutory limitation periods.

11. Imprint, Jurisdiction

11.1. We may refer to the name of our company in an appropriate form on the products that are the subject of the contract. The Customer may only withhold its consent if it has an overriding interest in this.

11.2. If the Customer is a fully-qualified merchant, a legal person under public law or a special fund under public law, the Einbeck local court or the Cöttingen regional court, depending on the substantive competence, shall have exclusive jurisdiction for all disputes arising between the Parties, including any and all proceedings related to bills of exchange and deeds. The same jurisdictions apply if the Customer does not have a general place of jurisdiction in Germany, moves its residence or general place of abode after entering into the agreement abroad, or the Customer's residence or general place of abode is unknown at the time the complaint is being filed.

2. Miscellaneous

12.1. The law of the Federal Republic of Germany applies excluding international uniform law, and here in particular the UN Sales Convention. The requirements and effects of the reservation of title pursuant to Item 6 are subject to such law as is applicable at the respective storage location of the goods provided that under said law, a choice of law made in favour of German law is not permitted or is void.

12.2. We are authorised within the scope of business relationships, to process personal information that has been entrusted to us within the scope of our mission, i.e. to store, to transfer, to modify and to erase such information.

12.3. The potential ineffectiveness of one or several provisions within these terms and conditions does not affect the validity of the remaining provisions.

Ref. No.	EAN-Code	ARC	Page
10 102 251	4011367022518	R1	20
10 102 253	4011367022532	R1	20
10 102 256	4011367022563	R1	20
10 102 258	4011367022587	R1	20
10 102 275	4011367022754	R1	19
10 102 277	4011367105105	R1	19
10 102 278	4011367105112	R1	19
10 102 283	4011367022839	R1	23
10 102 287	4011367022877	R1	23
10 102 291	4011367022914	R1	23
10 102 293	4011367022938	R1	23
10 105 100	4011367106256	R6	95
10 105 101	4011367106263	R6	95
10 105 105	4011367106270	R6	95
10 105 718	4011367057183	R6	93
10 105 719	4011367057190	R6	93
10 105 721	4011367057213	R6	93
10 105 722	4011367057220	R6	93
10 105 728	4011367057282	R6	93
10 105 729	4011367057299	R6	93
10 105 734	4011367057343	R6	93
10 105 735	4011367057350	R6	93
10 105 737	4011367057374	R6	93
10 105 738	4011367057381	R6	93
10 105 740	4011367057404	R6	93
10 105 745	4011367057459	R6	93
10 105 746	4011367057466	R6	93
10 105 747	4011367105914	R6	93
10 105 748	4011367105921	R6	93
10 105 749	4011367105938	R6	93
10 105 752	4011367057527	R6	93
10 105 755	4011367057558	R6	93
10 105 757	4011367057572	R6	93
10 105 758	4011367057589	R6	93
10 105 759	4011367057596	R6	93
10 105 760	4011367101374	R6	93
10 105 761	4011367057619	R6	93
10 105 765	4011367057657	R6	93
10 105 794	4011367057947	R6	93
10 105 795	4011367057954	R6	93
10 105 797	4011367057978	R6	93
10 105 798	4011367057985	R6	93
10 105 800	4011367102791	R6	93
10 105 805	4011367102807	R6	93
10 120 914	4011367209148	R6	96
10 120 915	4011367209155	R6	96
10 120 916	4011367209162	R6	96
10 120 918	4011367209186	R6	96
10 120 920	4011367209209	R6	96
	4011367209216	R6	96
10 120 922	4011367209223	R6	96
10 120 938	4011367209384	R6	96
10 120 961	4011367209612	R6	96
10 120 971	4011367209711	R6	96
10 120 981	4011367209810	R6	96
10 120 986	4011367209865	R5	96
10 140 801	4011367101398	R3	8
10 140 810	4011367105334	R2	8
10 140 815	4011367105334	R2	33
.5 5 520	.550, .5525,	11/2	

Ref. No.	EAN-Code	ARC	Page
10 140 921	4011367105303	R2	33
10 140 925	4011367105310	R2	38
10 140 926	4011367105327	R2	38
10 140 952	4011367105273	R2	35
10 140 958	4011367105280	R2	35
10 140 963	4011367409630	R2	35
10 140 967	4011367409678	R2	35
10 140 968	4011367105259	R2	35
10 140 969	4011367105266	R2	35
10 140 992	4011367105242	R2	28
10 140 993	4011367409944	R2	28
10 140 995	4011367409951	R2	28
10 140 997	4011367409975	R2	28
10 140 998	4011367409982	R2	28
10 140 999	4011367409999	R2	28
10 603 020	4011367104269	MO	131
10 603 020	4011367030742	R2	8
10 603 074	4011367097844	M0	131
10 603 451		1010	131
	4011367110963		131
10 603 454	4011367107741	- MO	
10 608 832	4011367103279	MO	131
10 608 833	4011367108533	MO	131
10 608 835	4011367110314	MO	131
10 608 836	4011367112615	MO	131
10 608 837	4011367112080	MO	131
10 608 838	4011367112493	MO	131
10 608 839	4011367122127	MO	131
10 608 840	4011367112523	-	131
10 608 841	4011367112547	MO	0
10 608 842	4011367112714	MO	131
10 608 843	4011367112776	MO	0
10 608 844	4011367112875	-	131
10 608 845	4011367113124	MO	131
10 608 846	4011367113445	MO	131
10 608 849	4011367114671	-	131
10 608 850	4011367114688	-	131
10 608 851	4011367114695	-	131
10 608 852	4011367114763	-	131
10 608 853	4011367114954	-	131
10 608 854	4011367115197	-	131
10 608 856	4011367115937	МО	131
10 620 002	4011367200022	T2	102
10 620 003	4011367200039	T2	102
10 620 005	4011367200053	T2	102
10 620 009	4011367200091	T2	102
10 620 010	4011367200107	T2	102
10 620 502	4011367205027	T1	102
10 620 542	4011367205423	T1	102
10 620 562	4011367205621	T1	102
10 620 702	4011367207021	T1	102
10 620 742	4011367207427	T1	102
10 620 742	4011367207427	T1	102
10 621 501	4011367215224	T1	103
10 621 541	4011367215415	T1	103
10 621 561	4011367215613	T1	103
10 621 701	4011367217013	T1	103
10 621 722	4011367217228	T1	103
10 621 741	4011367217419	T1	103
10 622 201	4011367222017	T1	104
10 622 221	4011367222215	T1	104

Ref. No.	EAN-Code	ARC	Page
40.532.404	40425777404		
10 622 401	4011367224011	T1	104
10 622 421	4011367224219	T1	104
10 622 501	4011367225018	T1	104
10 622 521	4011367225216	T1	104
10 622 701	4011367227012	T1	104
10 622 721	4011367227210	T1	104
10 624 810	4011367087449	R3	59, 105
10 624 811	4011367087456	R3	59, 105
10 624 812	4011367087463	R3	59, 105
10 624 813	4011367087470	R3	59, 105
10 624 820	4011367087487	R3	59, 105
10 624 821	4011367087494	R3	59, 105
10 624 822	4011367087500	R3	59, 105
10 624 823	4011367087517	R3	59, 105
10 624 850	4011367087524	R3	59, 105
10 624 851	4011367087531	R3	59, 105
10 625 000	4011367108892	R2	43
10 625 000	4011367108908	R2	43
10 625 001	4011367108915	R2	43
10 625 005	4011367108922	R2	43
	1011001100000		_
10 625 008	4011367109462	R3	111
10 625 009	4011367109479	R3	111
10 625 010	4011367109486	R3	111
10 625 040	4011367250409	R7	99
10 625 060	4011367250607	R7	99
10 625 080	4011367250805	R7	99
10 625 120	4011367111724	R5	14
10 625 121	4011367111731	R5	14
10 625 122	4011367111748	R5	14
10 625 123	4011367111755	R5	14
10 625 124	4011367111762	R5	14
10 625 125	4011367111779	R5	14
10 625 130	4011367111540	R1	12
10 625 131	4011367111557	R1	12
10 625 132	4011367111564	R1	12
10 625 140	4011367111571	R1	12
10 625 141	4011367111588	R1	12
10 625 142	4011367111595	R1	12
10 625 150	4011367111601	R1	12
10 625 151	4011367111618	R1	12
10 625 151	4011367111618	R1	12
10 625 152			14
	4011367111786	R3	_
10 625 161	4011367111793	R3	14
10 625 162	4011367111809	R3	14
10 625 163	4011367111816	R3	14
10 625 170	4011367111830	R2	41
10 625 171	4011367111847	R2	41
10 625 172	4011367111854	R2	41
10 625 180	4011367111861	R2	41
10 625 181	4011367111878	R2	41
10 625 182	4011367111885	R2	41
10 625 230	4011367111632	R1	13
10 625 231	4011367111649	R1	13
10 625 232	4011367111656	R1	13
10 625 240	4011367111663	R1	13
10 625 241	4011367111670	R1	13
10 625 242	4011367111687	R1	13
10 625 250	4011367111694	R1	13
10 625 251	4011367111700	R1	13
10 023 231	131130/111/00	I/I	13

,			
10 625 300	4011367113872	R2	40
10 625 301	4011367113889	R2	40
10 625 302	4011367113896	R2	40
10 625 310	4011367113902	R2	40
10 625 311	4011367113919	R2	40
10 625 312	4011367113926	R2	40
10 625 320	4011367116033	R3	63
10 625 321	4011367116040	R3	63
10 625 322	4011367116057	R3	63
10 625 323	4011367116064	R3	63
10 625 324	4011367116071	R3	63
10 625 330	4011367116088	R3	63
10 625 331	4011367116095	R3	63
10 625 332	4011367116101	R3	63
10 625 333	4011367116118	R3	63
10 625 334	4011367116125	R3	63
10 625 350	4011367115951	R2	3
10 625 351	4011367115968	R2	3
10 625 352	4011367115975	R2	3
10 625 353	4011367115982	R2	3
10 625 354	4011367115999	R2	3
10 625 355	4011367116002	R2	3
10 625 356	4011367116019	R2	3
10 625 357	4011367116026	R2	3
10 625 400	4011367114046	R2	6
10 625 401	4011367114053	R2	6
10 625 402	4011367114060	R2	6
10 625 403	4011367114077	R2	6
10 625 410	4011367114084	R2	6
10 625 411	4011367114091	R2	6
10 625 450	4011367114114	R3	7
10 625 451	4011367114121	R3	7
10 625 452	4011367114138	R3	7
10 627 003	4011367270032	R2	28
10 627 005	4011367270056	R1	20
10 627 006	4011367270063	R1	20
10 627 011	4011367270117	R1	20
10 627 013	4011367270131	R1	20
10 627 042	4011367270421	R1	23
10 627 044	4011367270445	R1	23
10 627 045	4011367270452	R1	23
10 627 047	4011367270476	R1	23
10 627 060	4011367270605	R1	19
10 627 070	4011367270704	R1	46
10 627 096	4011367270964	R4	87
10 627 130	4011367098285	R4	86
10 627 140	4011367271404	R2	37
10 627 142	4011367271428	R2	37
10 627 145	4011367271459	R2	37
10 627 146	4011367271466	R2	37
10 627 150	4011367112141	R1	12
10 627 151	4011367112158	R1	12
10 627 152	4011367112172	R1	12
	4011367112189	R1	12
10 627 153			.2
		R1	12
10 627 153 10 627 154 10 627 155	4011367112202	R1	
10 627 154 10 627 155	4011367112202 4011367112219	R1	12
10 627 154 10 627 155 10 627 164	4011367112202 4011367112219 4011367271640	R1 R2	12 38
	4011367112202 4011367112219	R1	12

Ref. No.

EAN-Code

Ref. No.	EAN-Code	ARC	Page
10 627 180	4011367114107	R2	6
10 627 250	4011367112257	R5	14
10 627 251	4011367112264	R5	14
10 627 252	4011367112271	R5	14
10 627 253	4011367112288	R5	14
10 627 254	4011367112295	R5	14
10 627 255	4011367112301	R5	14
10 627 256	4011367112318	R5	14
10 627 257	4011367112325	R5	14
10 627 258	4011367112332	R5	14
10 627 259	4011367112349	R5	14
10 627 260	4011367112356	R5	14
10 627 261	4011367112363	R5	14
10 627 262	4011367112370	R5	14
10 627 300	4011367273002	R6	96
10 627 301	4011367273019	R6	96
10 627 302	4011367273026	R6	96
10 627 313	4011367273132	R4	88
10 627 315	4011367273156	R6	96
10 627 316	4011367273163	R6	96
10 627 502	4011367275020	R6	92
10 627 504	4011367275044	R6	92
10 627 506	4011367275068	R6	92
10 627 510	4011367106713	R9	24
10 627 511	4011367106720	R9	24
10 627 512	4011367106737	R9	24
10 627 513	4011367106744	R9	24
10 627 514	4011367106751	R9	24
10 627 562	4011367275624	R6	92
10 627 563	4011367275631	R6	92
10 627 564	4011367275648	R6	92
10 627 566	4011367275662	R6	92
10 627 601	4011367276010	R5	79
10 627 602	4011367276027	R5	79
10 627 603	4011367276034	R5	79
10 627 606	4011367276065	R5	79
10 627 607		R5	79
	4011367276089 4011367276096	R5	79
10 627 609		R5	79
10 627 610	4011367276102	R5	79
10 627 640 10 627 641	4011367102968 4011367102975	R2	35
10 627 666	4011367106928	R10	25
10 627 667	4011367106935	R10	25
10 627 667	4011367106933	R6	92
10 627 758	4011367106128	R6	92
10 627 738	4011367106758	R9	24
10 627 810	4011367106768	R9	24
10 627 812	4011367106782	R9	24
10 627 812	4011367106782	R9	24
10 627 813	4011367106733	R9	24
10 627 814	4011367106803	R9	24
10 627 911	4011367106829	R9	24
10 627 912	4011367106825	R9	24
10 627 913	4011367106843	R9	24
10 627 914	4011367106843	R9	24
10 627 314	4011367106830	R2	18
10 628 000	4011367280000	R2	18
10 628 001	4011367280017	R2	31
10 628 002	4011367280024	R2	31
10 628 003	4011367280031	R2	31

Ref. No.	EAN-Code	ARC	Page
10 620 005	40113672000FF	R2	31
10 628 005	4011367280055		_
	4011367280062	R1	21
10 628 009	4011367280093	R2	28
10 628 011	4011367280116	R2	28
10 628 019	4011367280192	R1	21
10 628 020	4011367280208	R1	21
10 628 021	4011367280215	R1	21
10 628 022	4011367280222	R1	21
10 628 024	4011367280246	R1	21
10 628 025	4011367280253	R1	21
10 628 027	4011367280277	R1	21
10 628 028	4011367280284	R1	21
10 628 030	4011367280307	R1	21
10 628 031	4011367280314	R1	21
10 628 040	4011367106386	R9	24
10 628 041	4011367106393	R9	24
10 628 042	4011367106409	R9	24
10 628 043	4011367106416	R9	24
10 628 044	4011367106461	R9	25
10 628 045	4011367106478	R9	25
10 628 046	4011367106485	R9	25
10 628 070	4011367106423	R9	25
10 628 071	4011367106430	R9	25
10 628 072	4011367106447	R9	25
10 628 073	4011367106454	R9	25
10 628 080	4011367280802	R2	31
	+	R2	31
10 628 081	4011367280819		
10 628 082	4011367280826	R2	31
10 628 083	4011367280833	R2	31
10 628 086	4011367106539	R9	25
10 628 087	4011367106546	R9	25
10 628 088	4011367106553	R9	25
10 628 089	4011367106560	R9	25
10 628 090	4011367280901	R2	31
10 628 091	4011367280918	R2	31
10 628 092	4011367106645	R9	25
10 628 093	4011367106652	R9	25
10 628 094	4011367106669	R9	25
10 628 099	4011367106676	R9	25
10 628 110	4011367281106	R2	32
10 628 111	4011367281113	R2	32
10 628 112	4011367281120	R2	32
10 628 113	4011367281137	R2	32
10 628 114	4011367281144	R2	32
10 628 130	4011367098254	R4	86
10 628 131	4011367098261	R4	86
10 628 132	4011367098278	R4	86
10 628 135	4011367281359	R1	19
10 628 136	4011367281366	R1	19
10 628 137	4011367281373	R1	19
10 628 140	4011367281403	R4	87
10 628 141	4011367281410	R4	87
10 628 142	4011367281427	R4	87
10 628 143	4011367281434	R4	87
10 628 144	4011367281441	R4	87
10 628 145	4011367281458	R1	23
10 628 146	4011367281465	R1	23
10 628 147	4011367281472	R1	23
10 628 148	4011367281489	R1	23
10 628 161	4011367281618	R1	23
	4011367281625	R1	23

Ref. No.	EAN-Code	ARC	Page
10.530.153	4044267704622		
10 628 163	4011367281632	R1	23
10 628 164	4011367281649	R1	23
10 628 190	4011367281908	R3	52
10 628 191	4011367281915	R3	52
10 628 192	4011367281922	R3	52
10 628 193	4011367281939	R3	52
10 628 194	4011367281946	R3	52
10 628 200	4011367282004	R3	75
10 628 202	4011367282028	R3	51
10 628 203	4011367282035	R3	51
10 628 204	4011367282042	R3	51
10 628 207	4011367282073	R3	75
10 628 208	4011367282080	R3	75
10 628 209	4011367282097	R3	54
10 628 210	4011367282103	R3	54
10 628 211	4011367282110	R3	54
10 628 212	4011367282127	R3	54
10 628 213	4011367282134	R3	54
10 628 214	4011367282141	R3	75
10 628 215	4011367282158	R3	75
10 628 220	4011367282202	R3	54
10 628 225	4011367282257	R3	75
10 628 226	4011367282264	R3	75
10 628 227	4011367282271	R3	75
10 628 245	4011367282455	R3	50
10 628 246	4011367282462	R3	50
10 628 248	4011367282486	R3	50
10 628 249	4011367282493	R3	50
10 628 270	4011367282707	R3	75
10 628 271	4011367282714	R3	75
10 628 272	4011367282721	R3	75
10 628 273	4011367282738	R3	75
10 628 274	4011367282745	R3	75
10 628 287	4011367282875	R3	68
10 628 288	4011367282882	R3	68
10 628 292	4011367282929	R3	75
10 628 293	4011367282936	R3	75
10 628 294	4011367282943	R3	75
10 628 297	4011367282974	R3	75
10 628 301	4011367283018	R4	84
10 628 302	4011367283015	R4	84
	4011367283023	R4	84
10 628 303 10 628 304	4011367283032	R4	84
10 628 304	4011367283049	R4	89
	4011367283100	R4	88
10 628 313			_
10 628 314	4011367283148	R4	88
10 628 315	4011367283155	R4	88
10 628 316	4011367283162	R4	88
10 628 317	4011367283179	R4	88
10 628 320	4011367283209	R3	53
10 628 321	4011367283216	R3	53
10 628 322	4011367283223	R3	53
10 628 323	4011367283230	R3	75
10 628 324	4011367283247	R3	75
10 628 329	4011367095581	R3	75
10 628 330	4011367283308	R2	35
10 628 331	4011367283315	R2	35
10 628 332	4011367283322	R2	35
10 628 340	4011367283407	R2	29
10 628 341	4011367283414	R2	29

Ref. No.	EAN-Code	ARC	Page
10 628 343	4011367283438	R2	29
10 628 352	4011367283520	R3	71
10 628 353	4011367283537	R3	71
10 628 354	4011367283544	R3	71
10 628 370	4011367283704	R1	46
10 628 371	4011367283704	R1	46
10 628 380	4011367283803	R2	44
10 628 381	4011367283803	R2	44
10 628 390	4011367283902	R3	73
	+		
10 628 391	4011367283919	R3	73
10 628 392	4011367283926	R3	73
10 628 393	4011367283933	R3	73
10 628 394	4011367283940	R3	73
10 628 395	4011367283957	R3	73
10 628 399	4011367283995	R3	73
10 628 410	4011367284107	R2	36
10 628 411	4011367284114	R2	36
10 628 412	4011367284121	R2	36
10 628 413	4011367284138	R2	36
10 628 414	4011367284145	R2	36
10 628 415	4011367284152	R2	36
10 628 416	4011367284169	R2	36
10 628 417	4011367284176	R2	36
10 628 419	4011367284190	R2	36
10 628 420	4011367284206	R2	36
10 628 421	4011367284213	R2	36
10 628 501	4011367005030	R3	67
10 628 502	4011367005047	R3	67
10 628 503	4011367005054	R3	67
10 628 504	4011367285043	R2	33
10 628 505	4011367285050	R2	33
10 628 524	4011367285241	R2	38
10 628 525	4011367285258	R2	38
10 628 526	4011367285265	R2	38
10 628 527	4011367285272	R2	38
10 628 540	4011367285401	R2	8
10 628 541	4011367285418	R2	8
10 628 542	4011367285425	R2	8
10 628 543	4011367285432	R2	8
10 628 544	4011367285449	R5	78
10 628 545	4011367285456	R5	78
10 628 546	4011367285463	R5	78
10 628 547	4011367285470	R5	78
10 628 549	4011367017460	R2	8
10 628 560	4011367285609	R3	9
10 628 561	4011367285616	R3	9
10 628 562	4011367285623	R3	9
10 628 565	4011367004941	R3	9
10 628 566	4011367004958	R3	9
10 628 580	4011367285807	R7	98
10 628 585	4011367004965	R7	98
10 628 586			98
	4011367004972	R7	
10 628 601	4011367286019	R5	79
10 628 602	4011367286026	R5	79
10 628 603	4011367286033	R5	79
10 628 611	4011367286118	R5	79
10 628 612	4011367286125	R5	79
10 628 613	4011367286132	R5	79
10 628 630	4011367098636	R3	112
10 628 631	4011367098643	R3	112

Ref. No.	EAN-Code	ARC	Page
10 628 632	4011367098650	R3	112
10 628 633	4011367101640	R3	112
10 628 640	4011367102906	R2	35
10 628 641	4011367102913	R2	35
10 628 642	4011367102920	R2	35
10 628 643	4011367102937	R2	35
10 628 644	4011367102944	R2	35
10 628 645	4011367102951	R2	35
10 628 666	4011367106898	R10	25
10 628 667	4011367106904	R10	25
10 628 668	4011367106911	R10	25
10 628 670	4011367098667	R3	112
10 628 671	4011367098674	R3	112
10 628 672	4011367098681	R3	112
10 628 681	4011367102869	R3	65
10 628 682	4011367102876	R3	65
10 628 690	4011367101817	R3	66
10 628 691	4011367101824	R3	66
10 628 692	4011367101831	R3	66
10 628 693	4011367101848	R3	66
10 628 694	4011367101848	R3	66
10 628 695	4011367101862	R3	66
			_
10 628 701	4011367287016	S1	58
10 628 702	4011367287023	S1	58
10 628 722	4011367103743	R7	97
10 628 723	4011367103750	R7	97
10 628 730	4011367088378	R3	69
10 628 731	4011367088385	R3	69
10 628 753	4011367097011	R3	113
10 628 754	4011367097028	R3	113
10 628 755	4011367097035	R3	113
10 628 760	4011367106607	R9	24
10 628 761	4011367106614	R9	24
10 628 762	4011367106621	R9	24
10 628 763	4011367106638	R9	24
10 628 764	4011367106683	R9	25
10 628 765	4011367106690	R9	25
10 628 766	4011367106706	R9	25
10 628 780	4011367087661	R3	72
10 628 781	4011367087678	R3	72
10 628 790	4011367088132	R3	72
10 628 791	4011367088149	R3	72
10 628 810	4011367100421	R2	42
10 628 811	4011367100438	R2	42
10 628 812	4011367100445	R2	42
10 628 813	4011367102647	R2	42
10 628 814	4011367102654	R2	42
10 628 831	4011367288310	R4	85
10 628 832	4011367288327	R4	85
10 628 835	4011367288358	R4	85
10 628 837	4011367288372	R4	85
10 628 840	4011367106492	R9	24
10 628 841	4011367106508	R9	24
10 628 842	4011367106515	R9	24
10 628 843	4011367106522	R9	24
10 628 844	4011367106577	R9	25
10 628 845	4011367106584	R9	25
10 628 846	4011367106591	R9	25
10 628 870	4011367089733	R3	70
10 628 871	4011367089740	R3	70
10 628 872	4011367089757	R3	70

Ref. No.	EAN-Code	ARC	Page
10 628 880	4011367089764	R3	70
10 628 881	4011367089771	R3	70
10 628 882	4011367089788	R3	70
10 628 890	4011367089795	R3	70
10 628 891	4011367089801	R3	70
10 628 892	4011367089818	R3	70
10 628 910	4011367289102	R3	59
10 628 911	4011367289119	R3	59
10 628 912	4011367289126	R3	59
10 628 970	4011367289706	R2	35
10 628 971	4011367289713	R2	35
10 628 972	+	R2	+
	4011367289720		35
10 628 973	4011367289737	R2	35
10 628 974	4011367289744	R2	35
10 628 980	4011367289805	R2	35
10 628 981	4011367289812	R2	35
10 628 982	4011367289829	R2	35
10 628 983	4011367289836	R2	35
10 628 984	4011367289843	R2	35
10 628 990	4011367105464	R3	55
10 628 991	4011367105471	R3	55
10 628 993	4011367289935	R2	35
10 628 995	4011367107475	R3	64
10 628 996	4011367107482	R3	64
		K5	04
10 629 003	4011367098520		
10 629 004	4011367105969		
10 629 005	4011367105976		
10 629 100	4011367291006	R2	28
10 629 102	4011367291020	R2	35
10 629 104	4011367291044	n.n.	
10 629 109	4011367105358	R2	35
10 629 110	4011367083854	R2	8
10 629 112	4011367105365	R2	35
10 629 160	4011367112165	R1	12
10 629 161	4011367112196	R1	12
10 629 200	4011367106867	R9	25
10 629 201	4011367106874	R9	25
10 629 202	4011367106881	R9	25
10 644 122	4011367441227	T3	107
10 650 000	4011367500009	R2	45
10 650 030	4011367500306	R4	89
10 650 031	4011367500313	R4	89
10 650 032	4011367500320	R4	89
10 650 070	4011367005214	R2	47
10 650 071	4011367005221	R2	47
10 650 078	4011367098711	R2	47
10 650 130	4011367096410	R4	86
10 650 131	4011367096427	R4	86
10 650 132	4011367096434	R4	86
10 650 150	4011367105952	R2	45
	+		_
10 650 200	4011367090944	R2	47
10 650 201	4011367090951	R2	47
10 650 202	4011367090968	R2	47
10 662 561	4011367625610	T3	106
10 662 642	4011367626426	T3	107
10 662 711	4011367627119	T3	106
10 662 762	4011367627621	T3	107
11 627 001	4011367093297	R2	31
11 627 009	4011367093280	R2	31
	<u> </u>	R2	31
11 627 048	4011367093266		

Ref. No.	EAN-Code	ARC	Page
11 627 080	4011367093341	R2	35
11 627 081	4011367093358	R2	35
11 627 082	4011367093327	R2	35
11 627 083	4011367093334	R2	35
11 627 090	4011367093303	R2	32
11 627 091	4011367093310	R2	32
11 627 095	4011367093419	R4	87
11 627 160	4011367093396	R4	85
11 627 161	4011367093402	R4	85
11 627 162	4011367093365	R2	33
11 627 166	4011367093372	R2	8
11 627 410	4011367093389	R4	84
15 011 451	4011367089023	R5	81
15 011 452	4011367089030	R5	81
15 011 453	4011367089047	R5	81
15 011 456	4011367089078	R5	81
15 011 461	4011367095123	R5	80
15 011 463	4011367095253	R5	81
15 011 464	4011367095192	R5	80
15 011 465	4011367095161	R5	80
15 011 467	4011367095178	R5	80
15 011 468	4011367095369	R5	81
15 011 469	4011367095277	R5	81
15 011 470	4011367095376	R5	81
15 011 471	4011367095307	R5	81
15 011 472	4011367095154	R5	80
15 011 473	4011367095222	R5	81
15 011 479	4011367095284	R5	81
15 011 480	4011367095147	R5	80
15 011 481	4011367095185	R5	80
15 011 482	4011367095390	R5	81
15 011 483	4011367095321	R5	81
15 011 484	4011367095383	R5	81
15 011 485	4011367095345	R5	81
15 011 486	4011367095406	R5	81
15 011 487	4011367095208	R5	80
15 011 489	4011367095215	R5	80
15 011 490	4011367095314	R5	81
15 011 491	4011367095338	R5	81
15 011 493	4011367095246	R5	81
15 011 495	4011367095239	R5	81
15 011 496	4011367095130	R5	80
15 011 497	4011367095260	R5	81
15 011 498	4011367095352	R5	81
15 011 561	4011367095420	R5	81
15 011 563	4011367095505	R5	81
15 011 564	4011367095468	R5	81
15 011 565	4011367095444	R5	81
15 011 569	4011367095512	R5	81
15 011 570	4011367095550	R5	81
15 011 572	4011367095437	R5	81
15 011 573	4011367095475	R5	81
15 011 579	4011367095529	R5	81
15 011 581	4011367095451	R5	81
15 011 582	4011367095567	R5	81
15 011 583	4011367095536	R5	81
15 011 591	4011367095543	R5	81
15 011 593	4011367095499	R5	81
15 011 595	4011367095482	R5	81

15 023 121	Ref. No.	EAN-Code	ARC	Page
15 023 121	F 022 100	40112C7004020	Dr.	1 00
15 023 122				80
15 023 123				81
15 023 126				81
15 023 131				81
15 023 132				81
15 023 133				80
15 023 134				80
15 023 136				80
15 023 137				80
15 023 138				80
15 023 139				80
15 023 140				
15 023 141 4011367095086 R5 15 023 143 4011367094881 R5 15 023 144 4011367095109 R5 15 023 145 4011367095000 R5 15 023 146 4011367094867 R5 15 023 147 4011367094998 R5 15 023 148 4011367094928 R5 15 023 150 4011367094935 R5 15 023 151 4011367094911 R5 15 023 152 4011367095017 R5 15 023 153 4011367095031 R5 15 023 154 4011367094980 R5 15 023 155 4011367094942 R5 15 023 156 4011367094942 R5 15 023 158 4011367094942 R5 15 023 159 4011367094959 R5 15 023 150 4011367094959 R5 18 309 920 4011367115685 - 1 52 522 710 4011367115621 - 1 55 645 030 4011367096168 R3 1 60 120 269 4011367096168 R3 1 60 127 420				80
15 023 143				81
15 023 144				80
15 023 145				81
15 023 146				81
15 023 147				80
15 023 148				81
15 023 149				80
15 023 150				81
15 023 151				81
15 023 152				80
15 023 153				81
15 023 154				81
15 023 155				81
15 023 158	5 023 155	4011367095055	R5	81
15 023 159	5 023 156	4011367094942	R5	81
15 023 160	5 023 158	4011367094874	R5	80
18 309 920 4011367115685 - 1 52 522 710 4011367115791 - 1 52 522 711 4011367116521 - 1 55 645 030 4011367112622 M0 1 60 120 268 4011367096151 R3 9 60 120 269 4011367096168 R3 9 60 120 278 4011367202781 R3 9 60 120 279 4011367202798 R3 9 60 120 280 4011367202804 R3 9 60 127 420 4011367096106 R3 9 60 127 422 4011367096113 R3 9 60 127 424 4011367096120 R3 9 60 127 428 4011367096137 R3 9 60 127 429 4011367096144 R3 9 60 127 430 4011367274306 R3 9 60 127 434 4011367274320 R3 9 60 127 438 4011367274394 R3 9 60 127 439 4011367274399 R3 9 60 422 230 4016443090047 R	5 023 159	4011367095024	R5	81
52 522 710 4011367115791 - 1 52 522 711 4011367116521 - 1 55 645 030 4011367112622 M0 1 60 120 268 4011367096151 R3 9 60 120 269 4011367096168 R3 9 60 120 278 4011367202781 R3 9 60 120 279 4011367202798 R3 9 60 120 280 4011367202804 R3 9 60 127 420 4011367096106 R3 9 60 127 422 4011367096113 R3 9 60 127 424 4011367096120 R3 9 60 127 428 4011367096137 R3 9 60 127 429 4011367096144 R3 9 60 127 430 4011367274306 R3 9 60 127 432 4011367274320 R3 9 60 127 434 4011367274382 R3 9 60 127 439 4011367274382 R3 9 60 127 439 40113672	5 023 160	4011367094959	R5	81
52 522 711 4011367116521 - 1 55 645 030 4011367112622 M0 1 60 120 268 4011367096151 R3 9 60 120 269 4011367096168 R3 9 60 120 278 4011367202781 R3 9 60 120 279 4011367202798 R3 9 60 120 280 4011367202804 R3 9 60 127 420 4011367096106 R3 9 60 127 422 4011367096113 R3 9 60 127 424 4011367096120 R3 9 60 127 428 4011367096137 R3 9 60 127 429 4011367096144 R3 9 60 127 430 4011367274306 R3 9 60 127 432 4011367274320 R3 9 60 127 434 4011367274382 R3 9 60 127 439 4011367274399 R3 9 60 127 439 401136722802 R7 9 60 422 230 40164430	8 309 920	4011367115685	-	131
55 645 030 4011367112622 M0 1 60 120 268 4011367096151 R3 9 60 120 269 4011367096168 R3 9 60 120 278 4011367202781 R3 9 60 120 279 4011367202798 R3 9 60 120 280 4011367202804 R3 9 60 127 420 4011367096106 R3 9 60 127 422 4011367096113 R3 9 60 127 424 4011367096120 R3 9 60 127 428 4011367096137 R3 9 60 127 429 4011367096144 R3 9 60 127 430 4011367274306 R3 9 60 127 432 4011367274320 R3 9 60 127 434 4011367274344 R3 9 60 127 438 4011367274382 R3 9 60 127 439 4011367274399 R3 9 60 422 230 4016443090047 R7 9 60 422 730 401644	2 522 710	4011367115791		131
60 120 268	2 522 711	4011367116521	-	131
60 120 269	5 645 030	4011367112622	MO	131
60 120 278	0 120 268	4011367096151	R3	56
60 120 279	120 269	4011367096168	R3	56
60 120 280	0 120 278	4011367202781	R3	57
60 127 420	0 120 279	4011367202798	R3	57
60 127 422	0 120 280	4011367202804	R3	57
60 127 424	0 127 420	4011367096106	R3	56
60 127 428	0 127 422	4011367096113	R3	56
60 127 429	0 127 424		R3	56
60 127 430	0 127 428		R3	56
60 127 432				56
60 127 434				57
60 127 438				57
60 127 439				57
60 422 230				57
60 422 280				57
60 422 730 4016443090122 R7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				97
60 422 780 4011367227807 R7				97
				97
ьи 422 930 4016443090160 R7				97
60 422 980 4016443090474 R7				97